


California lockdown suppressed excess pandemic deaths

December 21 2020



Credit: Pixabay/CC0 Public Domain

Nearly 20,000 more Californians died in the first six months of the pandemic than would have been expected to die in a normal year, with a disproportionate number of those deaths occurring among older adults, Black or Latino residents, or those who had not completed high school, according to an analysis by researchers at UC San Francisco.

Researchers used excess deaths—the number of deaths above what would be predicted in a given year without a mass casualty event—as a rough indicator of the pandemic's overall [death](#) toll. But the exact number is hard to discern, and the excess death total may include deaths from causes other than COVID-19.

Despite the pandemic's high death toll, which continues to climb even as the state endures a second period of sheltering in place, the researchers concluded that the first lockdown from March 19 through May 9 lowered the number of excess deaths for most but not all groups.

"The early shutdown worked for California," said Kirsten Bibbins-Domingo, MD, Ph.D., professor and chair of the Department of Epidemiology and Biostatistics at UCSF and the senior author of the paper. "Mortality rates that were rising early in the pandemic dropped substantially in a timeframe that coincides with the shutdown. But, importantly, not all Californians seemed to benefit."

Specifically, Latinos—who make up nearly 40 percent of California residents—and adults without a [high school](#) degree did not experience a decline in excess deaths with the shutdown. These groups are disproportionately represented among low-wage essential workers, who continued stocking grocery store shelves, making deliveries and performing other work deemed necessary to keep society functioning. These workers were also at heightened risk of infection because of crowded living conditions that made it hard to protect against the [coronavirus](#).

Excess deaths in these groups continued rising through the lockdown and rose even higher once it was lifted. Among Californians with no more than a high school degree there were 500 excess deaths per week early in the spring. That figure rose to 1,000 per week by mid-August.

"These numbers are much higher than in other educational groups," said Yea-Hung Chen, Ph.D., an epidemiologist at UCSF and first author of the study, published Monday, Dec. 21, 2020, in *JAMA Internal Medicine*. "The differences are even more dramatic when we account for population size."

On a per capita basis, excess deaths were highest among California's Black population, although they declined toward the end of the lockdown period. But excess deaths never declined for Latinos, or those without a high school degree.

Moreover, once lockdown ended, per capita excess deaths went up for everyone, regardless of their racial or ethnic group, or their level of education.

"This suggests shutdowns are an important tool during the pandemic, but they must be accompanied by attention and resources to high-risk communities," Bibbins-Domingo said.

She and her team have posted a follow-up study on the medRxiv preprint server highlighting the specific sub-groups of Latinos with the highest death rates based on occupation and country of origin. "We hope this data will help to guide the pandemic response in a way that is responsive to the needs of these communities."

More information: Yea-Hung Chen et al. Excess Mortality in California During the Coronavirus Disease 2019 Pandemic, March to August 2020, *JAMA Internal Medicine* (2020). [DOI: 10.1001/jamainternmed.2020.7578](https://doi.org/10.1001/jamainternmed.2020.7578)

Provided by University of California, San Francisco

Citation: California lockdown suppressed excess pandemic deaths (2020, December 21)
retrieved 26 June 2024 from <https://medicalxpress.com/news/2020-12-california-lockdown-suppressed-excess-pandemic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.