

# Research confirms crucial monitoring assessment is effective for patients with COVID-19

December 4 2020

---



Credit: Pixabay/CC0 Public Domain

A combined research team from the Universities of Portsmouth and Bournemouth and Portsmouth Hospitals University NHS Trust has

shown that an assessment score used to measure a patient's severity of illness can be applied to patients with Covid-19 without modification.

The Portsmouth Academic Consortium For Investigating COVID-19 (PACIFIC-19) team has shown that the National Early Warning Score (NEWS) is equally good at predicting certain adverse clinical outcomes in patients with Covid-19 and other groups of patients admitted to hospital.

These results are important because they show that different techniques are not required for monitoring the severity of illness of patients with Covid-19. Developing new ways of working would require investment, take time and lead to extra demands on [staff training](#), at a time when these are in short supply.

NEWS is used across the NHS to measure a patient's severity of illness. It takes commonly measured vital sign readings (pulse, [blood pressure](#), temperature, breathing rate, etc) and converts them to a single value from 0 to 20. The higher the NEWS value the greater the patient's risk of developing certain adverse clinical outcomes.

The original work underpinning NEWS started in Portsmouth about 14 years ago. Since then, NEWS has been recommended by the Royal College of Physicians and NHS England. More recently, the World Health Organisation (WHO) has recommended its use for the close monitoring of clinical deterioration in patients with Covid-19.

In a separate study, the PACIFIC-19 team was also able to show that the Covid-19 outbreak, and the processes required to respond to it, did not adversely affect the ability of healthcare staff to monitor the vital signs of patients under their care.

Dr. Ina Kostakis, Research Fellow at the University of Portsmouth's

Centre for Healthcare Modelling and Informatics and the lead author of both studies, said: "We all know about the immense extra burdens that the Covid-19 outbreak has imposed on hospital staff, but we have shown that the tools and processes they already use to monitor deteriorating patients have stood up to the task."

Professor Anoop Chauhan, Executive Director of Research and Innovation at Portsmouth Hospitals University Trust and a senior author on the studies, said: "I'm immensely proud of the way the team came together rapidly at the start of the crisis and has now produced this important work. We look forward to producing even more insights that help us to look after our patients during this pandemic and beyond."

**More information:** Ina Kostakis et al, The performance of the National Early Warning Score and National Early Warning Score 2 in hospitalised patients infected by the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), *Resuscitation* (2020). [DOI: 10.1016/j.resuscitation.2020.10.039](https://doi.org/10.1016/j.resuscitation.2020.10.039)

Provided by University of Portsmouth

Citation: Research confirms crucial monitoring assessment is effective for patients with COVID-19 (2020, December 4) retrieved 27 April 2024 from <https://medicalxpress.com/news/2020-12-crucial-effective-patients-covid-.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--