


Rutgers reports first instance of COVID-19 triggering recurrent Guillain-Barré Syndrome

December 8 2020, by Patti Verbanas



Colorized scanning electron micrograph of a cell (blue) heavily infected with SARS-CoV-2 virus particles (red), isolated from a patient sample. Image captured at the NIAID Integrated Research Facility (IRF) in Fort Detrick, Maryland. Credit: NIAID

Researchers at Rutgers Robert Wood Johnson Medical School have reported the first instance of COVID-19 triggering a recurrence of Guillain-Barré Syndrome—a rare disorder where the body's immune system attacks nerves and can lead to respiratory failure and death.

While there have been several reports of Guillain-Barré Syndrome following COVID-19, this is the first in which COVID-19 actually triggered a recurrence of the condition—in a 54-year-old man who had suffered with Guillain-Barré Syndrome twice and had a third occurrence after testing positive for COVID-19, according to the Rutgers case report published in the journal *Pathogens*.

"The patient came to the [emergency room](#) with complaints of progressive difficulty swallowing, then had a fever for three days, followed by weakness in the arms, legs and face," said Erin McDonnell, a [medical student](#) who made the discovery. "His symptoms were worse this time than in previous episodes. He has since recovered."

Researchers looked at about 1,200 [hospital patients](#) diagnosed with COVID-19 who were admitted and discharged between March and May of 2020 and this was the only instance where COVID-19 triggered the recurrence of Guillain-Barré Syndrome.

Guillain-Barré Syndrome can follow acute viral and bacterial infections, causing symptoms including weakness and tingling in the extremities. As the condition worsens, the weakness quickly spreads, eventually sometimes paralyzing the whole body. While most people recover from the condition, about 5 percent of people experience a recurrence, McDonnell said.

"We recommend that patients who develop COVID-19 and have a

history of autoimmune [demyelinating] disorders in which the body's immune system attacks the myelin that insulates and protects their nerves be closely observed for several weeks for neurologic symptoms," said Payal Parikh, assistant professor at Rutgers Robert Wood Johnson Medical School, who led the study along with Martin Blaser, director of the Center for Advanced Biotechnology and Medicine.

The findings will improve the understanding of the spectrum of Guillain-Barré Syndrome, which may be triggered by acute viral or [bacterial infection](#), and help create treatments for COVID-19 patients.

More information: Erin P. McDonnell et al, COVID-19 as a Trigger of Recurrent Guillain–Barré Syndrome, *Pathogens* (2020). [DOI: 10.3390/pathogens9110965](#)

Provided by Rutgers University

Citation: Rutgers reports first instance of COVID-19 triggering recurrent Guillain-Barré Syndrome (2020, December 8) retrieved 7 May 2024 from <https://medicalxpress.com/news/2020-12-rutgers-instance-covid-triggering-recurrent.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
