


Sensors for a 'smart' wound bandage may track healing, immune response

December 2 2020



Credit: Skolkovo Institute of Science and Technology

Researchers from Skoltech and the University of Texas at Austin have presented a proof-of-concept for a wearable sensor that can track healing in sores, ulcers, and other kinds of chronic skin wounds, even without the need to remove the bandages. The paper was published in the journal *ACS Sensors*.

Chronic [wounds](#) that fail to heal quickly, such as diabetic foot ulcers or pressure ulcers, can be very tricky to manage for healthcare

professionals and a nightmare for patients. To monitor the [healing process](#) and assess the need for treatment, doctors and nurses normally need to remove the bandages from a wound, which damages the recovering tissue, often hurts the patient, and requires hospital visits, particularly to avoid further infections. Furthermore, if a wound requires more than just visual inspection, other available methods include tissue biopsies, surface swabs, or testing for pathogens—invasive and costly procedures that can take days and yet fail to produce useful treatment directions.

That is why 'smart' bandages, essentially [wearable sensors](#) that can monitor certain biomarkers during the healing process, have captured the attention of medical engineers. In the new study, the Russia-US team, led by Skoltech provost, Professor Keith Stevenson, explored electroanalytical methods that, thanks to their relative simplicity, sensitivity, durability, and other attractive characteristics, are particularly promising for clinical applications.

"Earlier stages of our research involved characterizing the sensor performance and demonstrating the sensitive and selective multianalyte detection in complex biofluid simulants that closely mimic real biological environments," Stevenson said.

For the new study, the researchers built an early prototype of an electroanalytical wound sensor based on carbon ultra- microelectrode arrays (CUAs) on flexible substrates. In previous studies, this sensor had been placed on quartz substrates, but to ensure flexibility, the authors developed a method of putting the arrays on a polyethylene terephthalate (PET) substrate.

The team used a simulated wound environment to test the sensitivity of their sensor to three critical biomarkers: pyocyanin, produced by *Pseudomonas aeruginosa*, a bacterium typically colonizing [chronic](#)

[wounds](#); nitric oxide (NO) secreted in response to bacterial infections by cells of the immune system; and uric acid, a metabolite which strongly correlates with the severity of a wound. All these compounds are electroactive: that is, they respond to electrical activity and thus can be detected by an electroanalytical sensor.

Testing showed that both the sensor's limits of detection and linear dynamic ranges, which represent the ranges of concentrations where a sensor produces meaningful quantitative results, were within the biologically relevant concentrations—that means a device based on these [sensors](#) could be used for wound monitoring in a clinical setting. The researchers also tested their sensor in cell cultures, where it successfully detected pyocyanin from *P. aeruginosa* and NO from macrophages (immune cells that destroy bacteria and other 'invaders'). Finally, the sensor was also able to detect the influence of Ag^+ silver ions, a known antimicrobial agent, that suppressed pyocyanin production by the bacteria.

"The next step is to utilize this sensor technology for in vivo studies and real-time monitoring of wound treatment effectiveness on human subjects in clinical settings," Professor Keith Stevenson notes.

More information: Olja Simoska et al, Electrochemical Detection of Multianalyte Biomarkers in Wound Healing Efficacy, *ACS Sensors* (2020). [DOI: 10.1021/acssensors.0c01697](https://doi.org/10.1021/acssensors.0c01697)

Provided by Skolkovo Institute of Science and Technology

Citation: Sensors for a 'smart' wound bandage may track healing, immune response (2020, December 2) retrieved 7 May 2024 from <https://medicalxpress.com/news/2020-12-sensors-smart-wound-bandage-track.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.