

Wearable electrical stimulator to zap Alzheimer's disease

December 22 2020, by Lydia Anderson




Image of the wearable stimulator. Credit: University of Otago

Stimulating humans' sense of smell to prevent conditions such as Alzheimer's Disease is the focus of international research led by the University of Otago.

The [olfactory system](#), or sense of smell, is known to be dysfunctional in the early stages of Alzheimer's and Parkinson's disease. It is also shown that proper olfactory function can play a key role in regaining consciousness after brain injuries.

The Otago research centers around a wearable concept prototype, similar to Google-glasses, which produces small electronic pulses on the skin to stimulate the olfactory nervous system. Areas of the brain prone to Alzheimer's, Parkinson's, and coma, can be jump-started to reduce or reverse the onset of those serious conditions.

Lead author, Associate Professor Yusuf Ozgur Cakmak from Otago's Department of Anatomy, says promising early results pave the way for developing the world's first non-invasive, wearable [electrical stimulation](#) system to target the olfactory regions.

"Olfactory nerves have terminals deep in the brain regions which influence memory and navigation. We're hopeful this method will help stimulate these networks to alleviate symptoms or suppress the progression of Alzheimer's disease to Dementia. It also has potential to help coma recovery and Parkinson's disease," Associate Professor Cakmak says.

Modulation of the olfactory regions has been attempted successfully with electrical stimulation previously, either directly (intraoperatively through the nasal bones) or indirectly through the vagus nerve. This research sought to develop a means of delivering electrical stimulation to the olfactory region in a non-invasive fashion and in a way that is simpler, easier, and less cumbersome.

"Applying this treatment via a headset on a hair-free zone that can be worn in daily routine instead of more invasive treatments makes this method unique " Associate Professor Cakmak adds.

The multiple electrode configurations have been tested with the aid of electrical field modelling that is validated with direct human brain recordings during brain surgery.

Otago's research team is collaborating with New York based company Soterix Medical, a world leader in non-invasive neuromodulation and [brain](#) monitoring technology. The international team will be testing their wearable stimulator in a clinical trial in 2020.

The study, "Optimized Electrode Placements for Non-Invasive Electrical Stimulation of the Olfactory Bulb and Olfactory Mucosa," has been published in the specialist journal *Frontiers in Neuroscience*.

One in 10 people age 65 and older (10%) has Alzheimer's dementia and 13.8 million people in the US age 65 and older are projected to have Alzheimer's dementia by 2050, according to the Alzheimer's Association.

More information: Yusuf Ozgur Cakmak et al. Optimized Electrode Placements for Non-invasive Electrical Stimulation of the Olfactory Bulb and Olfactory Mucosa, *Frontiers in Neuroscience* (2020). [DOI: 10.3389/fnins.2020.581503](#)

Provided by University of Otago

Citation: Wearable electrical stimulator to zap Alzheimer's disease (2020, December 22) retrieved 20 March 2024 from <https://medicalxpress.com/news/2020-12-wearable-electrical-zap-alzheimer-disease.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--