

Anticipation of the future reward shapes self-controlled choice

January 26 2021



Credit: George Hodan/public domain

Research published in the *Journal of Neuroscience* shows the prefrontal cortex of the human brain is associated with anticipation of favorable future events and shapes how individuals make a choice, advancing our understanding of self-control in decision making.

Using MRI functional scanning to observe participants awaiting an

unexperienced [reward](#), the research identified dynamic brain activity in the prefrontal cortex reflecting the anticipation of the future. This activity was stronger among participants with greater self-controlled preferences.

The study, conducted by researchers from the University of Melbourne and Keio University in Japan, also finds significant associations between self-restraint and the experience of anticipation. In particular brain responses to the anticipation of future reward are associated with optimum future outcomes, i.e. participants are more likely to wait for greater reward at a future point in time.

University of Melbourne Associate Professor Shinsuke Suzuki from the Brain, Mind and Market Centre said the research has implications for a better understanding of addiction and financial wellbeing.

"By analyzing functional brain activity and the signals sent between the various regions of the brain, we can predict an individual's behavior and likely decisions around future events. This understanding has implications for addiction intervention, risky behavior and financial planning," Associate Professor Suzuki said.

Thirty four participants aged 18 to 22, were observed while waiting for a reward—fruit juice. In the first instance—option A, they had to wait for a short undisclosed time (60 seconds) before tasting fruit juice. Then, participants were given a smaller amount of juice just a few seconds later (shorter wait time) – option B. They were asked to select the option they preferred.

The researchers used functional MRI scanning to observe how the regions of the brain associated with anticipation and intertemporal choice (the choice between a smaller reward immediately versus a larger reward at some point in the future) behaved while the test subjects were

awaiting their reward, choosing between option A and B, and actually consuming the juice.

The researchers observed enhanced dynamic brain activity in the prefrontal cortex signaling greater levels of self-control in individuals with a preference for a larger reward after delayed period.

By analyzing the regions of the brain concerned with anticipation, the researchers found that heightened activity in the [ventral striatum](#) located in a deeper region of the brain was associated with more impulsive subsequent choice preferences, i.e. preference towards a small, immediate reward.

Anticipation utility is concerned with how much an individual enjoys the anticipation of the future event. The researchers identified a polar region in the prefrontal cortex where the functional brain activity became significantly heightened among individuals who made more self-controlled choices.

While participants were awaiting their initial reward, the ventral striatum received inhibitory regulation from the prefrontal cortex. This was enhanced in individuals with greater self-control or restraint.

The results suggest that strong self-controlled choice preference is formed by greater prefrontal activity reflecting anticipation of future events. This allows individuals to behave optimally to maximize reward attainment in the long term. The anticipation signals in the prefrontal cortex inhibit activity in the ventral striatum associated with impulsivity in human behavior.

"The [prefrontal cortex](#) has long been understood as implicit in planning complex cognitive behavior and decision making. This study identifies the role of [anticipation](#) as it intersects with reward-based decision

making," Associate Professor Suzuki said.

"This study can lead to a deeper understanding of the biological nature of human financial decision-making and its deficits. Additionally, it is also possible to examine [brain](#) mechanisms associated with [alcohol abuse](#) and obesity, which may be linked to behavioral impulsivity, using other directly consumable rewards such as alcoholic beverages and food."

The research used experimental methods—intertemporal choice with a real reward, economic modeling—anticipatory utility model to determine the pleasure of the wait, and functional MRI scanning.

More information: Daiki Tanaka et al. Self-Controlled Choice Arises from Dynamic Prefrontal Signals That Enable Future Anticipation, *The Journal of Neuroscience* (2020). [DOI: 10.1523/JNEUROSCI.1702-20.2020](#)

Provided by University of Melbourne

Citation: Anticipation of the future reward shapes self-controlled choice (2021, January 26) retrieved 25 April 2024 from <https://medicalxpress.com/news/2021-01-future-reward-self-controlled-choice.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--