


First mammography screening guidelines issued for older survivors of breast cancer

January 28 2021



Three-dimensional culture of human breast cancer cells, with DNA stained blue and a protein in the cell surface membrane stained green. Image created in 2014 by Tom Misteli, Ph.D., and Karen Meaburn, Ph.D. at the NIH IRP.

A nationwide panel of experts has developed the first mammography guidelines for older survivors of breast cancer, providing a framework for discussions between survivors and their physicians on the pros and cons of screening in survivors' later years.

The guidelines, published online today in a paper in *JAMA Oncology*, recommend discontinuing routine mammograms for survivors with a life expectancy under five years; considering stopping screening for those with a 5-10-year life expectancy; and continuing mammography for those whose life expectancy is greater than 10 years. The guidelines will be complemented by printed materials to help survivors gauge their risk of [cancer](#) recurring in the breast and weigh the potential benefits and drawbacks of mammography with their health care team.

"The standard recommendation for mammography in [breast cancer](#) survivors of all ages has been annual screening. There has been little guidance on how to tailor screening for older survivors—what role life expectancy, risk of recurrence, patient preferences, or the tradeoffs associated with mammography should play," says Rachel A. Freedman, MD, MPH, of Dana-Farber Cancer Institute, the first author of the new paper. "The result is that the use of mammography for older survivors has been highly inconsistent. With the number of older women who will be diagnosed with breast cancer expected to increase in the coming years, it's important that we find ways to individualize decisions for each patient's circumstances and preferences."

To formulate the new guidelines, Freedman recruited an 18-member panel of patients in addition to breast cancer primary care, geriatrics, radiology, survivorship, and nursing experts from around the country to review the scientific literature on the risk of in-breast cancer among older breast cancer survivors, taking into account the subtype of cancer, the treatment patients received, their age, and health status. The group conducted a parallel review of research on the benefits and downsides of

mammography. (Designed to detect breast cancer at an early stage, mammograms sometimes uncover growths that turn out not be cancerous, or small, slow-growing tumors that won't have an impact on an older woman's life expectancy. The detection of such growths often entails further stress and anxiety, tests, and treatment.)

Reassuringly, the literature review confirmed that most older breast cancer survivors had a low risk for breast cancer in either breast—particularly for those who had been treated with hormone-blocking therapy for hormone receptor-positive tumors. The panel estimated older survivors' risk of developing cancer in the breast over a 10-year period and organized their results by cancer type and treatment.

The review of mammography studies found that although the benefits of screening in older women are not well defined, research suggests mammography offers little to modest clinical benefit for many older women. The main downsides of mammography were false-positives (detection of growths that appear cancerous but turn out not to be), anxiety associated with diagnostic testing, and overtreatment.

Combining the results of these reviews, the panel formulated a series of mammography guidelines for survivors of breast cancer. The guidelines were considered by a group of clinicians and patient advocates and by five clinician focus groups, resulting in several revisions. After further review by the International Society for Geriatric Oncology, the guidelines were refined and finalized.

Because of the low risk that older survivors will develop a cancer in their breast, the lengthy time needed for the small benefits of mammography to be realized, and the persistence of the negative effects of mammography, the new guidelines recommend discontinuing mammography for breast cancer survivors age 75 or older whose life expectancy is under five years. This holds even for those with a history

of higher-risk tumors such as triple-negative or ERBB2-positive. (Life expectancy is estimated by factors such as an individual's medical history, their degree of functional independence, whether they smoke cigarettes, had a fall in the previous year, and whether they were recently hospitalized.) The guidelines call for consideration of stopping mammography when life expectancy is five to 10 years and continuing annual or biennial mammography when life expectancy exceeds 10 years. For women age 85 and older, whose [life expectancy](#) is often under five years, the guidelines recommend ceasing [mammography](#) unless an individual is in extraordinary health and has a strong preference to continue testing.

Freedman emphasizes that the new guidelines are not prescriptive but should serve as a starting point for older survivors of [breast](#) cancer in conversations with their physician. "The purpose of the guidelines is to offer clinicians support for having these conversations with patients and to make a shared, individualized decision for each woman," she says.

Provided by Dana-Farber Cancer Institute

Citation: First mammography screening guidelines issued for older survivors of breast cancer (2021, January 28) retrieved 19 April 2024 from <https://medicalxpress.com/news/2021-01-mammography-screening-guidelines-issued-older.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--