


Microwaves used to deactivate coronavirus, flu, other aerosolized viruses

January 26 2021



Conceptual schematic showing key portions of the viral aerosol microwave inactivation experiment. Credit: Air Force Research Laboratory.

As the pandemic has continued to spread globally, studies indicate the COVID-19 virus may be contained in aerosols that can be generated and spread through breathing, coughing, sneezing, or talking by infected individuals. Researchers are increasingly focused on developing tools and methods to assist in decontaminating surfaces and spaces.

While scientists have previously explored the use of electromagnetic energy to deactivate flu virus in bulk fluids, less work has been done to understand the role of nonionizing radiation, such as microwaves, in reducing the infectivity of viral pathogens in aerosols. The tools required to both safely contain contaminated aerosol streams and expose these aerosols to controlled, well-characterized microwave doses have not been readily available.

In *Review of Scientific Instruments*, researchers from the Air Force Research Laboratory report development of a set of experimental tools capable of presenting [electromagnetic waves](#) to an [aerosol](#) mixture of biological media and virus with the capability to vary power, energy, and frequency of the electromagnetic exposure. The researchers seek to better characterize the threshold levels of microwave energy needed to inactivate aerosolized viral particles and, thus, reduce their ability to spread infection.

"In this way, we believe our [experimental design](#) is capable of a fundamental investigation of a wide variety of inactivation mechanisms. This range of capability is especially important given the range of potential interaction mechanisms found in the literature," said co-author John Luginsland.

The key portions of each system fit within standard biosafety cabinets, ensuring multiple layer containment of pathogens. Additionally, the systems are designed to prevent release of microwave radiation into the laboratory environment, which, at elevated levels, could potentially interfere with diagnostic equipment and other electronics.

During initial experiments, the AFRL researchers are exposing a human-safe coronavirus surrogate, bovine coronavirus, to a range of [microwave](#) waveforms at frequencies ranging from 2.8 GHz to 7.5 GHz.

"The bovine coronavirus is similar in size and configuration to human coronavirus but is safe to humans," said co-author Brad Hoff.

If exposure to microwaves is demonstrated to be sufficiently effective in reducing infectivity, experimental efforts could then proceed to use aerosols containing COVID-19 coronavirus or other human-infecting pathogens.

"If shown to be effective, the use of microwaves may enable the potential for rapid decontamination not currently addressed by [ultraviolet light](#) or chemical cleaning for highly cluttered areas, while potentially operating at levels safely compatible with human occupancy," said Hoff.

More information: "Apparatus for controlled microwave exposure of aerosolized pathogens" *Review of Scientific Instruments*, aip.scitation.org/doi/10.1063/5.0032823

Provided by American Institute of Physics

Citation: Microwaves used to deactivate coronavirus, flu, other aerosolized viruses (2021, January 26) retrieved 19 April 2024 from <https://medicalxpress.com/news/2021-01-microwaves-deactivate-coronavirus-flu-aerosolized.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--