

MIND and Mediterranean diets associated with later onset of Parkinson's disease

January 13 2021



Credit: CC0 Public Domain

A new study from UBC researchers suggests a strong correlation between following the MIND and Mediterranean diets and later onset of Parkinson's disease (PD). While researchers have long known of

neuroprotective effects of the MIND diet for diseases like Alzheimer's and dementia, this study is the first to suggest a link between this diet and brain health for Parkinson's disease (PD).

The MIND [diet](#) combines aspects of two very [popular diets](#), the Mediterranean diet and the Dietary Approaches to Stop Hypertension (DASH) diet.

"The study shows individuals with Parkinson's disease have a significantly later age of onset if their eating pattern closely aligns with the Mediterranean-type diet. The difference shown in the study was up to 17 years later in women and eight years later in men," says Dr. Silke Appel-Cresswell of the Pacific Parkinson's Research Centre, the Djavad Mowafaghian Centre for Brain Health and the Division of Neurology in the UBC Faculty of Medicine. "There is a lack of medications to prevent or delay Parkinson's disease yet we are optimistic that this new evidence suggests nutrition could potentially delay onset of the disease."

In a study of 176 participants, researchers looked at adherence to these types of diets, characterized by reduced meat intake and a focus on vegetables, fruits, whole grains and healthy fats, and the age of PD onset. They found that close adherence to these diets coincided with later onset of PD in women of up to 17.4 years, and 8.4 years in men. The MIND diet showed a more significant impact on women's health, whereas the Mediterranean diet did for the men. The differences in these two diets are subtle, but could serve as clues to the impacts specific foods and micronutrients may have on brain health.

The different effects of diet adherence between sexes are noteworthy as approximately 60 percent of those diagnosed with Parkinson's disease are men.

"If we understand the sex differences between the MIND diet and

Mediterranean diet then we might better understand the sex differences that drive Parkinson's disease in the first place," says lead researcher Avril Metcalfe-Roach, a Ph.D. student at UBC's Michael Smith Laboratories.

These findings springboard to other research questions that could have significant impacts on the understanding of PD.

"It drives home the connection between the gut and the brain for this disease," says Dr. Brett Finlay, professor in the departments of biochemistry and molecular biology, and microbiology and immunology at UBC. "It also shows it's not just one [disease](#) that [healthy eating](#) can affect, but several of these cognitive diseases."

The research team plans to further examine the potential connection between the microbiome and its effect on the brain.

"There is so much benefit to eating healthy," says Metcalfe-Roach. "It is in everybody's best interest to try to keep your microbiome healthy, to try and eat a rich variety of plant-based and other healthy foods. This study provides even more evidence for what we already know—that we should be trying to eat healthy and taking care of ourselves."

More information: Avril Metcalfe-Roach et al, MIND and Mediterranean Diets Associated with Later Onset of Parkinson's Disease, *Movement Disorders* (2021). [DOI: 10.1002/mds.28464](https://doi.org/10.1002/mds.28464)

Provided by University of British Columbia

Citation: MIND and Mediterranean diets associated with later onset of Parkinson's disease (2021, January 13) retrieved 20 April 2024 from <https://medicalxpress.com/news/2021-01-mind->

mediterranean-diets-onset-parkinson.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.