

New machine learning system developed to identify deteriorating patients in hospital

February 10 2021



Credit: AI-generated image (disclaimer)

Researchers in Oxford have developed a machine learning algorithm that could significantly improve clinicians' ability to identify hospitalized patients whose condition is deteriorating to the extent that they need intensive care.



The HAVEN system (Hospital-wide Alerting Via Electronic Noticeboard) was developed as part of a collaboration between the University of Oxford's Institute of Biomedical Engineering and the Nuffield Department of Clinical Neurosciences, with support from the NIHR Oxford Biomedical Research Centre.

The findings of the study have been published in the American Journal of Respiratory and Critical Care Medicine.

"The HAVEN <u>machine learning algorithm</u>, using electronic patient data collected routinely by most NHS hospitals, has the potential to substantially improve our ability to detect patients who require ICU, and those for whom a timely intervention is likely to change their outcome, so enhancing the National Early Warning Score (NEWS) system currently in use across the health service," said Prof Peter Watkinson, Associate Professor of Intensive Care Medicine at the University's Nuffield Department of Clinical Neurosciences.

The HAVEN system combines patients' vital signs—such as <u>blood</u> <u>pressure</u>, <u>heart rate</u> and temperature—with their blood test results, comorbidities and frailty into a single risk score. The HAVEN score gives a more precise indication of which patients are deteriorating when compared with previously published scores.

Every year, more than 60,000 patients deteriorate on UK hospital wards to the extent they require admission to an ICU.

Over the past 20 years, health care systems worldwide have implemented alerting systems to improve detection of patients at risk of deterioration. Most are based on abnormalities in patients' vital signs, usually by combining them into an early warning score. Clinicians are alerted when the EWS rises above a given threshold.



"Late recognition of patient deterioration in hospital is associated with worse outcomes, including higher mortality. Despite the widespread introduction of early warning score systems, which are based on vital signs, deterioration still goes unrecognized," Prof Watkinson explained.

"The HAVEN system we have developed and validated was able to detect nearly twice as many <u>patients</u> who suffered a <u>cardiac arrest</u> or needed <u>intensive care</u> up to 48 hours in advance, than the next best system."

More information: Marco AF Pimentel et al. Detecting Deteriorating Patients in Hospital: Development and Validation of a Novel Scoring System, *American Journal of Respiratory and Critical Care Medicine* (2021). DOI: 10.1164/rccm.202007-2700OC

Provided by University of Oxford

Citation: New machine learning system developed to identify deteriorating patients in hospital (2021, February 10) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2021-02-machine-deteriorating-patients-hospital.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.