

# Do you want to be resuscitated? This is what you should think about before deciding

February 11 2021, by Barbara Jean Hayes and Joseph Ibrahim

---



Credit: AI-generated image ([disclaimer](#))

Every day, in every hospital, doctors and nurses respond to "code blue" situations. This is an emergency alert for when a patient's heart stops beating, called a cardiac arrest.

To save the patient's life, medical and nursing staff will often administer

cardiopulmonary resuscitation ([CPR](#)). CPR involves repeated chest compressions, artificial breathing, use of medications and an electric shock to jump-start the [heart](#) (defibrillation).

The aim is to restore a person's heartbeat and blood pressure to normal, and in turn to restore life. CPR must be initiated quickly as [brain cells rapidly die](#) without blood and oxygen.

Patients admitted to [hospital](#) are often surprised when their doctors ask: "If your heart were to stop beating, would you want CPR or not?" But in every code blue doctors need answers to the same two questions. First, whether the clinical team considers CPR would be an [effective treatment](#) ; and second, whether the patient wants CPR.

## First response

If a person has a [cardiac arrest](#) outside hospital, it is usual, and expected, that bystanders begin CPR, use a defibrillator if available, and call an ambulance.

CPR is taught in first aid courses and defibrillators are [widely available](#) in public places such as airports and sports grounds. Time is of the essence, so having trained community members is important.

In a [hospital setting](#), though, the decision to administer CPR is more nuanced. It's built on a discussion around the patient's medical condition and, importantly, takes into account their wishes.

Clinicians in Australia [have provided examples](#) of some different perspectives on this discussion:

"Some of [the patients' relatives] are absolutely aghast that we might even suggest not to resuscitate [...] they bring their loved one into

hospital to get better."

"A lot of people [...] just say, "No, I've had a good innings, just let me die." [...] Often I find it's families who have the objection."

## A bit of background

CPR was developed and initially applied to resuscitate people with specific medical conditions such as an acute myocardial infarction (a heart attack).

When a cardiac arrest occurs because of a heart attack or other heart condition, there's [a reasonable chance](#) CPR will re-start the heart and save the person's life. A recent [Australian study](#) looking at people who had a cardiac arrest in hospital showed 41.5% of people who were admitted due to heart problems survived with good neurological function.

Expanding the use of CPR more broadly to every disease that causes the heart to stop beating seems like common sense. But this is not necessarily the case.

For older hospitalized patients (aged over 67 years in this research) with [chronic diseases](#)—such as heart failure, kidney disease, cancer or diabetes—their chance of surviving a cardiac arrest and leaving the hospital alive is [around 11-15%](#). Chances of survival are slightly better in [older patients](#) without a chronic illness (17%).

For patients in the late stage of their life, due to advanced illness or [severe frailty](#), their chance of survival is almost zero.

CPR is not always an appropriate treatment. The decision to perform it needs to be made carefully, especially when it's highly unlikely to restore

a patient's heartbeat.

## Outcomes after CPR

Unlike the [popular media portrayal](#) of CPR, not every survivor of cardiac arrest returns to their previous level of functioning.

Patients may survive but [with some brain damage](#). This could range from minor damage with trivial functional effects such as being forgetful; to moderate damage with serious functional effects such as a change in personality and needing help with everyday activities; to severe damage with catastrophic functional impairment eventually leading to death.

CPR may revive a heart that has stopped beating, but it doesn't always restore a person back to a life they had or want. It may also do harm by reviving a person who does not want to continue living and would have preferred their disease to follow its natural course. When CPR is performed on a patient who doesn't want it, it disrupts a gentler dying process, transforming it into an impersonal medical event.

When a cardiac arrest happens, there's no opportunity to ask the patient what they want at that time. In hospital, it's routine to provide CPR for patients in cardiac arrest unless there is a medical order to withhold it, or if the patient has completed an advance care directive refusing CPR. This is often referred to as a "do not resuscitate" order.

## Talk about it

Avoiding harm from inappropriate or unwanted CPR requires planning ahead and being prepared to have a difficult conversation.

We have launched an animated film, *The Inappropriate Question*, to help

people [better understand](#) why these conversations are important.

Discussing CPR is upsetting for some patients, because raising the possibility of death is confronting. It's also harder to discuss this when a person has just been admitted to hospital for treatment and is expecting to recover.

But patients have the right, and usually want, to be involved in their own treatment decisions. The challenge is how we reconcile this wanting to know and wanting to be involved in decisions, with not wanting to be upset by knowing.

CPR is an important treatment. When used appropriately, [it saves lives](#). But when applied injudiciously it can cause distress and avoidable harm.

[Advance care planning](#) is one way to start thinking about this long before a person is seriously ill. Particularly if you're older and have chronic medical conditions, have that discussion with yourself, your loved ones and your medical team.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Do you want to be resuscitated? This is what you should think about before deciding (2021, February 11) retrieved 29 May 2024 from <https://medicalxpress.com/news/2021-02-resuscitated.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--