

A 'sugar' coating for bone implants

February 12 2021



Physiological release of chemically-modified glycans from titanium implants suppresses inflammation for better bone healing. Credit: Dr. Zhenzhen Wang, University of Macau



Osteoporosis is a leading global health challenge. Besides its own adverse effects, it also impairs the function of bone implants—normally made of a metal called titanium (Ti). Because there is less bone than normal at the implantation site, the implants could easily loosen, and persistent inflammation often accompanies implantation.

Recently, Chinese scientists from the University of Macau and Nanjing University, in collaboration with National Dental Centre Singapore, invented a bioactive coating that can be chemically joined to a normal Ti surface. This coating, made from a chemically-modified glycan (a string of sugars), can sequentially turn on and off inflammation in <u>bone</u> implants. When applied under osteoporotic conditions, it first turns on 'good inflammation' by instructing host macrophages to release the molecules that can activate <u>bone cells</u> and promote healing; when the bone cells grow and function to an extent, they naturally secrete an enzyme, called <u>alkaline phosphatase</u>, to cut the chemically-modified glycan from the Ti surface. These 'sugar-coated bullets' can specifically kill macrophages and turn off 'bad inflammation' for better healing and greater safety.

The lead contact and corresponding author of this paper, Prof Chunming Wang at the University of Macau, said: "Interestingly, these macrophages to be killed in the latter part of this healing process, are exactly the ones that have made the major contribution to releasing probone forming cytokines in the earlier stage. So, we described this design as a 'bridge-burning' strategy." He indicates that the coating's main advantage is to maximize the power of the limited number of bone cells around the implants under osteoporosis.

The co-corresponding author, Prof Lei Dong at Nanjing University, added that under these pathological conditions it is unrealistic to sharply



increase the number or stimulate the function of bone cells around the implants to achieve better bone-<u>implant</u> integration. "Our method harnesses the inherent power of immune responses to enhance implanting efficacy, without using complicated methods that might bring about safety issues. "

Based on this coating's favorable performance in a rat osteoporosis model, both investigators anticipate next-stage research to be carried out in larger animals. This study was published on 10 Feb 2021 in *Advanced Functional Materials*, a premier journal in materials science, and selected to feature on the front cover of the issue.

More information: Zhenzhen Wang et al, Switching On and Off Macrophages by a "Bridge-Burning" Coating Improves Bone-Implant Integration under Osteoporosis, *Advanced Functional Materials* (2020). DOI: 10.1002/adfm.202007408

Provided by Nanjing University School of Life Sciences

Citation: A 'sugar' coating for bone implants (2021, February 12) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2021-02-sugar-coating-bone-implants.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.