

Researchers identify barriers to use of surface electromyography in neurorehabilitation

March 17 2021



Rakesh Pilkar, Ph.D. is a Senior Research Scientist in the Center for Mobility and Rehabilitation Engineering Research at Kessler Foundation and Assistant Research Professor in the Department of Physical Medicine & Rehabilitation at Rutgers - New Jersey Medical School. Dr. Pilkar's expertise is in providing engineering solutions to biomedical research problems. Credit: Kessler Foundation

Kessler Foundation researchers have identified several practical and technical barriers to the widespread use of surface electromyography (sEMG) in clinical neurorehabilitation. Based on their holistic analysis of these factors, the researchers suggest a collaborative, interdisciplinary, and unified approach to enable rehabilitation professionals to routinely use sEMG.

The article, "Use of Surface EMG in Clinical Rehabilitation of Individuals With SCI: Barriers and Future Considerations," was published December 18, 2020, in *Frontiers in Neurology*. It is available open access at www.ncbi.nlm.nih.gov/pmc/articles/PMC7780850/

The authors are Rakesh Pilkar, Ph.D., Kamyar Momeni, Ph.D., Arvind Ramanujam, Manikandan Ravi, Erica Garbarini, and Gail F. Forrest, Ph.D., affiliated with the Center for Mobility and Rehabilitation Engineering Research and the Tim and Caroline Reynolds Center for Spinal Stimulation at Kessler Foundation.

sEMG is a noninvasive technology that detects, records, and interprets the electrical activity of muscles. The quantifiable information on myoelectric output recorded by sEMG is extremely useful in assessing impairment and potentially determining patient-specific and effective interventions for individuals with spinal cord injury (SCI). However, while sEMG is commonly used in neurorehabilitation research, its integration into clinical practice has been limited, according to lead author Dr. Pilkar, senior research scientist at the Center for Mobility and Rehabilitation Engineering Research.

In their analysis, the research team determined several factors that prevent widespread use of sEMG in [clinical practice](#). "One major obstacle is integrating the time-consuming aspects of sEMG into the

already demanding schedule of physical therapists, occupational therapists, and other clinicians," explained Dr. Pilkar. "Also, clinicians are often unfamiliar with technical aspects of sEMG data processing and may not have been exposed to or trained in certain aspects of this technology," he added.

The research team also identified technical challenges such as transferring the frequent research updates to the sEMG systems used in a clinical setting; lack of user-friendly interfaces; and the need for a standardized, multidisciplinary approach to the handling and interpretation of data. An additional consideration, specific to research in SCI, is that reading and interpreting EMGs for this population requires an additional skillset, as the physiological and structural state of the spinal cord affect how data are interpreted.

To overcome these obstacles, Kessler researchers propose a series of actions to facilitate the use of sEMG by rehabilitation professions. First, including hands-on sEMG experience in educational and professional training programs, and exposing trainees to non-clinical experts in complementary fields such as engineers, technicians, and data scientists. Second, developing simpler, more user-friendly technology interfaces, as well as offering open-access user tutorials to make it easier for clinicians to integrate and use sEMG. Third, codifying a means to regularly transfer research-based knowledge about sEMG and its relevance to SCI rehabilitation from researchers to clinicians will empower [rehabilitation](#) professionals to use sEMG with more confidence.

"Addressing these barriers will improve our ability to objectively assess neuromuscular outcomes," Dr. Pilkar predicted, "which is fundamental to developing interventions that improve motor function and mobility in individuals with deficits caused by SCI."

More information: Rakesh Pilkar et al, Use of Surface EMG in

Clinical Rehabilitation of Individuals With SCI: Barriers and Future Considerations, *Frontiers in Neurology* (2020). [DOI: 10.3389/fneur.2020.578559](https://doi.org/10.3389/fneur.2020.578559)

Provided by Kessler Foundation

Citation: Researchers identify barriers to use of surface electromyography in neurorehabilitation (2021, March 17) retrieved 27 April 2024 from <https://medicalxpress.com/news/2021-03-barriers-surface-electromyography-neurorehabilitation.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.