

Two new diabetes drugs may work better for Asian people

March 12 2021



Credit: Unsplash/CC0 Public Domain

Two relatively new but increasingly used diabetes drugs (with one of these classes also now approved for used in heart failure in people with or without diabetes) are possibly more effective in people with an Asian

background than in people with a White background, according to new research.

The study—published in *Diabetes Care* and led by the University of Glasgow—found the diabetes drug classes GLP-1 receptor agonists and SGLT2 inhibitors may work better at lowering the risk of heart attack and stroke, and heart failure and death from heart disease, respectively.

People with an Asian background, including South Asian and East/Southeast people, experience a greater burden of type 2 diabetes compared with those with a White background.

Of the antihyperglycemic drug classes used to treat diabetes, drug classes GLP-1 receptor agonists and SGLT2 inhibitors are the only ones to show consistent benefits in cardiovascular outcomes. In this study, researchers meta-analyzed data from six trials of SGLT2is; four diabetes trials and two heart failure outcome trials. They also analyzed data from six diabetes outcome trials for the GLP-1 receptor agonist class.

The study found a greater benefit of GLP-1RA therapy on heart attack and stroke risks in people with an Asian background compared with those with a White background across all types of the [drug](#) tested. In addition, SGLT2i drugs had at least as good an effect on reducing risk of major cardiovascular events in people with diabetes in Asians, but potentially had a better effect on heart failure outcomes in this group compared with Whites in the heart failure trials.

Naveed Sattar, Professor of Metabolic Medicine at the University of Glasgow's Institute of Cardiovascular and Medical Sciences, said: "These data show something potentially exciting for doctors treating Asians with diabetes. That Asians may benefit more from a class of drugs to lower heart attack and stroke risks in people with diabetes is exciting, since [diabetes](#) is more common in many Asian populations, and finding new

ways to lower their cardiovascular risks is helpful."

"At the same time, potentially better outcomes in Asians with [heart](#) failure with SGLT2 inhibitors is also exciting. Such findings now need confirmation and future [trials](#) should better categorize people with an Asian background into differing subgroups so that we can work out whether the findings apply to all people with an Asian background or specific subgroups."

The paper, "Meta-analyses of Results From Randomized Outcome Trials Comparing Cardiovascular Effects of SGLT2is and GLP-1RAs in Asian Versus White Patients With and Without Type 2 Diabetes' is published in *Diabetes Care*.

More information: Meta-analyses of results from randomized outcome trials comparing cardiovascular effects of SGLT2i and GLP-1RA in Asian vs. White patients with and without type 2 diabetes. *Diabetes Care*.

Provided by University of Glasgow

Citation: Two new diabetes drugs may work better for Asian people (2021, March 12) retrieved 6 May 2024 from <https://medicalxpress.com/news/2021-03-diabetes-drugs-asian-people.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|