

Study on impact of COVID-19 on pediatric mental health released

March 2 2021



Credit: CC0 Public Domain

In March and April 2020, mental health claim lines for individuals aged 13-18, as a percentage of all medical claim lines, approximately doubled over the same months in the previous year. At the height of the spring wave of the COVID-19 pandemic, this rise in mental health claim lines amounted to 97.0 percent in March and 103.5 percent in April. These

are among the many findings in FAIR Health's new white paper, the seventh in its COVID-19 studies, *The Impact of COVID-19 on Pediatric Mental Health: A Study of Private Healthcare Claims*.

In those same months of March and April 2020, all medical [claim](#) lines (including mental [health](#) claim lines) decreased by approximately half (53.3 percent in March 2020 and 53.4 percent in April 2020), FAIR Health found. That pattern of increased mental health claim lines and decreased medical claim lines continued through November 2020, though to a lesser extent.

Defining the pediatric population as individuals aged 0-22 years, and focusing on the [age groups](#) 13-18 years and 19-22 years, FAIR Health studied the effects of the COVID-19 pandemic on US pediatric mental health. To do so, FAIR Health analyzed data from its database of over 32 billion private healthcare claim records, tracking month-by-month changes from January to November 2020 compared to the same months in 2019. Aspects of pediatric mental health investigated include overall mental health, intentional self-harm, overdoses and substance use disorders, top mental health diagnoses, reasons for emergency room visits and state-by-state variations.

The decrease in all medical claim lines is likely due to widespread restrictions on nonemergency medical care in spring 2020 and continuing avoidance of such care even after restrictions were lifted in May. It is striking, therefore, that one component of medical care, mental healthcare, increased significantly even while overall [medical care](#) was falling.

Other findings reported in the white paper include:

- Comparing August 2019 to August 2020 in the Northeast, for the age group 13-18, there was a 333.93 percent increase in

intentional self-harm claim lines as a percentage of all medical claim lines, a rate higher than that in any other region in any month studied for that age group.

- Claim lines for intentional self-harm as a percentage of all medical claim lines in the 13-18 age group increased 90.71 percent in March 2020 compared to March 2019. The increase was even larger when comparing April 2020 to April 2019, nearly doubling (99.83 percent).
- For the age group 13-18, claim lines for overdoses increased 94.91 percent as a percentage of all medical claim lines in March 2020 and 119.31 percent in April 2020 over the same months the year before. Claim lines for [substance use disorders](#) also increased as a percentage of all medical claim lines in March (64.64 percent) and April (62.69 percent) 2020 as compared to their corresponding months in 2019.
- For the age group 6-12, from spring to November 2020, claim lines for obsessive-compulsive disorder and tic disorders increased as a percentage of all medical claim lines from their levels in the corresponding months of 2019.
- For the age group 13-18, in April 2020, claim lines for generalized anxiety disorder increased 93.6 percent as a percentage of all medical claim lines over April 2019, while major depressive disorder claim lines increased 83.9 percent and adjustment disorder claim lines 89.7 percent.
- In general, the age group 19-22 had mental health trends similar to but less pronounced than the age group 13-18.

FAIR Health President Robin Gelburd stated: "The COVID-19 pandemic has had a profound impact on mental health, particularly on that of young people. The findings in our new report have implications for all those responsible for the care of young people, including providers, parents, educators, policy makers and payors."

This is the seventh in a series of studies released by FAIR Health on the COVID-19 pandemic. The first study examined projected US costs for COVID-19 patients requiring inpatient stays, the second the impact of the pandemic on hospitals and health systems, the third the impact on healthcare professionals, the fourth key characteristics of COVID-19 patients, the fifth the impact on the dental industry and the sixth risk factors for COVID-19 mortality.

More information: The Impact of COVID-19 on Pediatric Mental Health: A Study of Private Healthcare Claims: bit.ly/3qSt2my

Provided by FAIR Health

Citation: Study on impact of COVID-19 on pediatric mental health released (2021, March 2) retrieved 6 May 2024 from <https://medicalxpress.com/news/2021-03-impact-covid-pediatric-mental-health.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--