

How many peanuts does it take to trigger an allergic reaction?

March 26 2021, by Cedric Ricks



Credit: CC0 Public Domain

An estimated 6 million Americans may suffer from peanut allergies. Tiny amounts of peanut protein can lead to hives, itching, tingling in the mouth, shortness of breath or nausea within minutes.

For individuals with severe [peanut](#) allergies, food-induced anaphylaxis can occur. It's a life-threatening emergency that requires treatment with an injection of epinephrine and a trip to the emergency room. Food labels offer warnings such as "may contain peanuts" or "was processed in a facility that may process nuts."

The warnings allow individuals with severe reactions to steer clear, but for consumers who may be able to tolerate a minimal amount of peanut protein without major incident the labels aren't very useful, says Lynne Haber, Ph.D., a University of Cincinnati College of Medicine senior toxicologist.

But a new study that Haber has led may help change that situation in the United States.

Using patient data from multiple locations, scientists used mathematical models to estimate an "eliciting dose"—or the amount of peanut protein that will cause or elicit an allergic reaction in a certain percentage of peanut sensitive patients, explains Haber. The study reviewed the responses of 481 patients in double-blind placebo-controlled studies, who were exposed to increasing levels of peanut protein in a controlled clinical setting until the patient had an allergic reaction.

The dose calculated to elicit an allergic reaction in 1% of patients with [peanut allergies](#) was 0.052 milligrams of peanut protein, about the weight of a single grain of salt, says Haber. The eliciting dose for 5% of patients was calculated to be 0.49 milligrams of peanut [protein](#), or about the weight of a single grain of sugar, says Haber.

The findings were published in the scholarly journal Food and Chemical Toxicology.

"Risk is based on a combination of how inherently hazardous something

is, and how much of that substance someone is exposed to," says Haber, an adjunct associate professor of environmental and public health sciences in the UC College of Medicine. "Arsenic is more toxic than [sodium chloride](#), also known as table salt, but if you're not exposed to any arsenic, it does not pose any risk."

"The amount of exposure is also important in determining risk," says Haber. "Water is healthy, but if you drink enough of it, it could kill you. There has been a move to shift to labeling that is based on a combination of the inherent hazard of a substance and how much of it is in a product. This is being done in Australia, New Zealand and Europe. The United States has been slower to do this."

Haber worked with [patient data](#) from Stanford Medicine and the Consortium for Food Allergy Research. The study was supported by The Institute for the Advancement of Food and Nutrition Sciences (IAFNS). This non-profit 501(c)(3) scientific research organization pools funding from food industry collaborators and advances science through the in-kind and financial contributions from public and private sector participants.

"We were asked to do analysis using data from the U.S. population as there may be differences between the U.S. and other countries in terms of peanut consumption and exposure that affect the sensitivity to peanut," says Haber. "We have posted all the data and modeling code via the internet to ensure transparency. We have identified an exposure limit that is relevant to the U.S. population using a method and data that others can use for their own analysis."

More information: Lynne T. Haber et al. Bayesian hierarchical evaluation of dose-response for peanut allergy in clinical trial screening, *Food and Chemical Toxicology* (2021). [DOI: 10.1016/j.fct.2021.112125](https://doi.org/10.1016/j.fct.2021.112125)

Provided by University of Cincinnati

Citation: How many peanuts does it take to trigger an allergic reaction? (2021, March 26)
retrieved 30 April 2024 from
<https://medicalxpress.com/news/2021-03-peanuts-trigger-allergic-reaction.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.