

A safer MRI contrast agent for high-resolution 3D microvascular imaging

March 10 2021




Figure 1. High-resolution 3D MRI brain vascular map (a) High-resolution 3D MRI brain vascular map using SAIO. Various blood vessels in the rat brain can be visualized. In addition to clinically important brain vessels including anterior cerebral artery, middle cerebral artery, posterior cerebral artery, fine vessel structures as thin as ~ 100 microns in diameter can be clearly visualized. (b) 3D MRI brain vascular map using Dotarem (gadolinium-based contrast agent). Resolution is low and microvessels are not visible. (c) For 3D reconstruction, multiple slices of MRI images of the rat heart were obtained after injection of SAIO. Rat coronary arteries (180 microns) which are 10 times thinner than human coronary arteries were successfully visualized. Coronary arteries supply blood to the heart muscle and the blockage or narrowing of such arteries causes myocardial infarction or angina, but visualizing these arteries was impossible due to the limited resolution of current MRI contrast agents. Credit: Institute for

Scientists discovered a safer MRI contrast agent for high-resolution 3D microvascular imaging. The new contrast agent offers a vast improvement over traditional gadolinium-based products.

Heart attack and stroke are the first and second leading causes of death in developed countries, respectively. As the disease often results in sudden death with few special prognostic symptoms, early diagnosis is very important. For this purpose, imaging techniques such as magnetic resonance imaging (MRI) are widely used to identify the narrowing or blockage of blood vessels.

In MRI, [contrast](#) agents improve the visibility of the structures such as smaller blood vessels within the body. Just as satellites or global positioning systems (GPS) give traffic congestion information, the MRI contrast agents can give accurate information of vascular conditions such as vascular blockage and stenosis. Commonly used products are the gadolinium-based contrast agents. Free gadolinium ions have high toxicity, and thus they must be administered in chelated forms. However, even then there are some health risks of nephrogenic systemic fibrosis for patients with poor kidney functions. There have been some attempts to use paramagnetic iron-based nanoparticles as contrasting agents, but their renal clearance profile must be improved to prevent undesirable accumulation in the liver and other organs.




Figure 2. SAIO contrast agent(a) SAIO consists of carbohydrates and iron, which gives it a high level of biocompatibility. 3 nm carbohydrates are coated with iron, giving it a total size of 5 nm. (b) Comparison of performance between SAIO and current contrast agent. SAIO has a 2.5-fold higher MRI signal and a 5-fold longer duration of the contrast effect compared to the current contrast agent. (c) SAIO improves the resolution by up to 10-fold compared to the

current contrast agent, enabling clear visualization of objects with a diameter as small as 100 microns. Credit: Institute for Basic Science

A collaborative research team led by Professor CHEON Jinwoo, the director of the Center for Nanomedicine (CNM), Institute for Basic Science (IBS) at Yonsei University, Seoul, South Korea and Professor CHOI Byoung Wook from Yonsei University College of Medicine developed a high-performance MRI contrast agent for 3D vascular mapping. The researchers developed a nanoparticle-based MRI contrast agent, called SAIO (Supramolecular Amorphous-like Iron Oxide). The particle is 5 nanometers in size, which is about 1,500 times smaller than the microvascular diameter. This allows it to circulate across blood vessels in the body.

The SAIO is a special nanoparticle that consist of a polysaccharide core made primarily with dextran cross-linked with other molecules. This core is then coated with an iron oxide surface to give it paramagnetic properties at room temperature. The hybrid nature of the SAIOs gives them both excellent biocompatibility and imaging performance. The researchers compared the contrast performance, retention, and renal clearance profile of the SAIO against Dotarem (a gadolinium-based agent) and iron oxide nanoparticles.

SAIO is one of the highest resolution imaging agents, which is 10 times more precise than the image generated using current contrast agents. It has achieved a 3D brain vascular mapping that can clearly identify brain microvessels as thin as a hair (100 microns) in animal experiments. In addition, to excellent resolution, the enhancement lasts substantially longer (>10 min) in comparison to Dotarem (




Figure 3. Excretion of SAIO(a) Schematics of renal filtration of SAIO. SAIO filtered from the kidneys is collected in the bladder through the ureters and excreted into the urine. (b) MRI image showing urinary output from the kidneys towards the bladder through the ureters. (c) Rat bladder MRI image before and after the injection of SAIO. Gradual SAIO collection in the bladder is observed. SAIO collected in the bladder is excreted into the urine. Credit: Institute for Basic Science

In addition to having high resolution, excretion of the contrasting agent through urine is especially important to avoid its accumulation within the body, which can cause various side effects. SAIO has an excellent renal clearance profile without accumulation in liver or spleen. It was also found that SAIO was stable without aggregation nor iron leaching for up to a year.

Director Cheon said, "SAIO is a next-generation contrast agent that satisfies both high resolution and safety at the same time" and professor Choi said, "SAIO is expected to play a vital role in increasing the accuracy of the diagnosis of cerebro-cardiovascular diseases such as stroke, myocardial infarction, angina, and dementia."

More information: Tae-Hyun Shin et al. High-resolution T1 MRI via renally clearable dextran nanoparticles with an iron oxide shell, *Nature Biomedical Engineering* (2021). [DOI: 10.1038/s41551-021-00687-z](https://doi.org/10.1038/s41551-021-00687-z)

Provided by Institute for Basic Science

Citation: A safer MRI contrast agent for high-resolution 3D microvascular imaging (2021, March 10) retrieved 5 May 2024 from <https://medicalxpress.com/news/2021-03-safer-mri-contrast-agent-high-resolution.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
