

Blood clot risk high following COVID-19 hospitalization

April 12 2021



(HealthDay)—Following COVID-19 hospitalization, thromboembolic

events occur frequently, according to a study published online April 6 in *Blood*.

Dimitrios Giannis, M.D., from The Feinstein Institutes for Medical Research at Northwell Health in Manhasset, New York, and colleagues used data from 4,906 consecutive COVID-19 patients (53.7 percent male; mean age, 61.7 years) hospitalized within a multihospital system from March 1 to May 31, 2020. The authors examined the frequency of postdischarge thromboembolic events ([venous thromboembolism](#) [VTE], arterial thromboembolism [ATE], and all-cause mortality).

The researchers found that postdischarge thromboprophylaxis was prescribed in 13.2 percent and the composite primary outcome rate was 7.13 percent (VTE, 1.55 percent; ATE, 1.71 percent; all-cause mortality, 4.83 percent; major bleeding, 1.73 percent). The composite primary outcome was significantly associated with advanced age (odds ratio [OR], 3.66), prior VTE (OR, 2.99), intensive care unit stay (OR, 2.22), [chronic kidney disease](#) (OR, 2.10), peripheral arterial disease (OR, 2.04), carotid occlusive disease (OR, 2.02), IMPROVE-DD VTE score ≥ 4 (OR, 1.51), and coronary artery disease (OR, 1.50). After discharge, reduced rates of the primary outcome were associated with anticoagulation (OR, 0.54).

"This study reveals it is important to monitor COVID-19 survivors for [dangerous blood clots](#) even after they leave the hospital," Kevin J. Tracey, M.D., chief executive officer of the Feinstein Institutes, said in a statement.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2021 [HealthDay](#). All rights reserved.

Citation: Blood clot risk high following COVID-19 hospitalization (2021, April 12) retrieved 2 May 2024 from <https://medicalxpress.com/news/2021-04-blood-clot-high-covid-hospitalization.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.