

When chest pain hits, it's best to call an ambulance

April 12 2021



Credit: Unsplash/CC0 Public Domain

The value of calling an ambulance when chest pain strikes, rather than arranging your own transport, has been confirmed by new research published today by the *Medical Journal of Australia*.

Researchers led by Professor David Brieger, Professor of Cardiology at Concord Repatriation Hospital in Sydney, and Dr. Eleanor Redwood, a Basic Physician Trainee at Prince of Wales Hospital and Community Health Services, analyzed data on patients with confirmed STelevation myocardial infarction (STEMI) from 43 hospitals.

"We compared the clinical characteristics, time to reperfusion, and [hospital outcomes](#), including death and major adverse cardiovascular events (MACE)—cardiac death, myocardial infarction, [heart failure](#), or shock—for patients arriving by ambulance or otherwise," wrote Redwood and colleagues.

"Of 2765 patients who presented with STEMI during 2009–2017, 1616 (58.4%) arrived by ambulance and 1149 (41.6%) by other means," they found.

"The median age of patients arriving by ambulance (64 years) was higher than for the other patients (59 years), and the proportions with hypertension, a family history of coronary heart disease, or prior [myocardial infarction](#), [atrial fibrillation](#), or stroke/transient ischaemic attack were larger.

"Time between arrival at hospital and reperfusion (primary percutaneous intervention or fibrinolysis) was significantly shorter for patients who arrived by ambulance than for other patients."

Despite the cohort of patients who arrived by ambulance being generally older and more complicated in terms of their cardiovascular complications and comorbidities, "their hospital outcomes are comparable with those of patients who present directly to hospital, presumably because of their more rapid access to reperfusion," Redwood and colleagues wrote.

In Australia, an estimated 12.7% of patients with STEMI die or have recurrent myocardial infarctions within 30 days of diagnosis. Prompt reperfusion reduces morbidity and mortality, and guidelines consequently aim to minimize the time between symptom onset and reperfusion.

The authors called for a public health message highlighting the importance of calling 000 at the onset of chest pain. "Our finding that [patients](#) with STEMI who are older and have more comorbid conditions are more likely to call an ambulance is not novel, but does indicate that this has not changed in recent years.

This underscores the value of calling an [ambulance](#) when [chest pain](#) develops, Media Release and suggest that this public health message should be more actively promoted," Redwood and colleagues concluded.

More information: Eleanor Redwood et al. The influence of travelling to hospital by ambulance on reperfusion time and outcomes for patients with STEMI, *Medical Journal of Australia* (2021). [DOI: 10.5694/mja2.51005](#)

Provided by Wiley

Citation: When chest pain hits, it's best to call an ambulance (2021, April 12) retrieved 5 May 2024 from <https://medicalxpress.com/news/2021-04-chest-pain-ambulance.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--