


Study: Copanlisib + rituximab slows relapsed indolent lymphoma

April 14 2021



Copanlisib plus rituximab (C+R) reduces disease progression or death in



patients with relapsed indolent non-Hodgkin lymphoma (iNHL), according to a study presented during Week 1 of the annual meeting of the American Association for Cancer Research, held virtually from April 10 to 15.

Matthew J. Matasar, M.D., from the Memorial Sloan Kettering Cancer Center in New York City, and colleagues reported <u>primary data</u> from the phase III study of C+R versus placebo (P)+R in patients with relapsed iNHL. Overall, 307 and 151 patients were randomly assigned to C+R and P+R, respectively.

The researchers found that during a median follow-up of 19.2 months, the primary study end point of progression-free survival was 21.5 versus 13.8 months in the C+R and P+R groups, respectively, with a significant reduction in the risk for disease progression/death for C+R versus P+R (hazard ratio, 0.52). Reductions were seen across histology subtypes. Objective response rates (ORRs) were 80.8 and 47.7 percent for C+R and P+R, respectively, while complete response rates (CRRs) were 33.9 and 14.6 percent, respectively. Across all iNHL subtypes, the ORRs and CRRs were higher with C+R treatment. Hyperglycemia, hypertension, and diarrhea were the most common treatment-emergent adverse events for patients receiving C+R (69.4, 49.2, and 33.6 percent, respectively). Rates of serious adverse events were higher with C+R versus P+R (47.2 versus 18.5 percent).

"The CHRONOS-3 trial met its primary end point of progression-free survival, with improved outcomes seen in several subtypes of indolent lymphoma included in the study," Matasar said in a statement.

Several authors disclosed financial ties to <u>pharmaceutical companies</u>, including Bayer AG, which manufactures copanlisib and funded the trial.



More information: Press Release

More Information

Copyright © 2021 HealthDay. All rights reserved.

Citation: Study: Copanlisib + rituximab slows relapsed indolent lymphoma (2021, April 14)

retrieved 9 May 2024 from

https://medicalxpress.com/news/2021-04-copanlisib-rituximab-relapsed-indolent-lymphoma.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.