


Mediterranean diet with lean beef may lower risk factors for heart disease

April 14 2021



Credit: Pixabay/CC0 Public Domain

Eating red meat may have a bad reputation for being bad for the heart, but new research found that lean beef may have a place in healthy diets, after all.

In a [randomized controlled study](#), researchers found that a Mediterranean diet combined with small portions of lean beef helped lower risk factors for developing [heart disease](#), such as LDL cholesterol.

Jennifer Fleming, assistant teaching professor of nutrition at Penn State, said the study suggests that healthy diets can include a wide variety of foods, such as red [meat](#), and still be heart friendly.

"When you create a [healthy diet](#) built on fruits, vegetables, and other plant-based foods, it leaves room for moderate amounts of other foods like lean beef," Fleming said. "There are still important nutrients in beef that you can benefit from by eating lean cuts like the loin or round, or 93% lean ground beef."

David J. Baer, research leader at the United States Department of Agriculture—Agricultural Research Service, and study co-principal investigator, added, "This study highlights the importance of including lean beef in a Mediterranean dietary pattern that can yield heart-healthy benefits."

According to the researchers, red meat such as beef has been associated with an [increased risk](#) for cardiovascular disease in previous studies. But it has remained unclear whether red meat actually causes these effects or if they actually are caused by other diet and lifestyle choices that people engage in alongside red meat consumption.

Additionally, the researchers said many studies have combined both fresh and processed meats together when evaluating red meat consumption and health. Processed red meats have a very different nutrient profile than fresh meat—for example, processed meat products are much higher in sodium—that could explain the red meat research that has been reported.

"The Mediterranean diet is traditionally low in red meat," Fleming said. "But, knowing that many Americans enjoy [red meat](#), we wanted to examine how combining lean beef with the Mediterranean diet would affect cardiovascular risk markers."

The study included 59 participants. Every participant consumed each diet for four weeks each, with a one week break between each diet period, and blood samples were drawn at the beginning of the study as well as after each diet period.

Three of the four diet periods contained different amounts of beef to a Mediterranean diet plan, which provided 41% calories from fat, 42% from carbohydrates and 17% from protein. In addition to the control average American diet, one diet provided 0.5 ounces of beef a day, which is the amount recommended in the Mediterranean diet pyramid. A second diet provided 2.5 ounces a day, which represents the amount an average American eats in a day, and the third experimental diet included 5.5 ounces a day, which previous research connected with certain heart health benefits.

All three Mediterranean diet periods included olive oil as the predominant fat source, three to six servings of fruits, and six or more servings of vegetables a day. The beef included in these diet periods was either lean or extra-lean.

Fleming said they were able to use a special technology called nuclear magnetic resonance—or NMR technology—to measure the number and size of lipoprotein particles. She said this study was one of the first randomized controlled trials of the Mediterranean diet to use the technique.

"This is important because there is growing evidence to suggest that LDL particle number is more strongly associated with cardiovascular

disease risk than total blood LDL concentrations alone," Fleming said. "Moreover, we were able to identify changes in apolipoproteins, specifically apoB, which are also associated with increased CVD risk."

After the data were analyzed, the researchers found that participants all had lower LDL cholesterol following the Mediterranean diet periods compared to the average American diet. But while the total numbers of LDL particles were reduced following all three Mediterranean diet periods, they were only significantly decreased when following those periods that included 0.5 or 2.5 ounces of beef a day compared to the average American diet.

Additionally, non-HDL cholesterol and apoB—a protein involved in lipid metabolism and a marker of CVD risk—were lower following all three Mediterranean diet periods compared to the average American [diet](#).

Fleming said the study—recently published in the *American Journal of Clinical Nutrition*—underscores the importance of consuming healthy, well-balanced diets.

"Our study helped illustrate the benefits associated with a healthy Mediterranean dietary pattern that embodies balance, variety and the inclusion of nutrient-rich components, which can include low to moderate amounts of lean [beef](#)," Fleming said.

More information: Jennifer A Fleming et al, Effect of varying quantities of lean beef as part of a Mediterranean-style dietary pattern on lipids and lipoproteins: a randomized crossover controlled feeding trial, *The American Journal of Clinical Nutrition* (2020). [DOI: 10.1093/ajcn/nqaa375](https://doi.org/10.1093/ajcn/nqaa375)

Provided by Pennsylvania State University

Citation: Mediterranean diet with lean beef may lower risk factors for heart disease (2021, April 14) retrieved 20 March 2024 from <https://medicalxpress.com/news/2021-04-mediterranean-diet-beef-factors-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.