

Nutritional deficiencies that jeopardize the health of female athletes

April 22 2021



Nutritional deficiencies in sportswomen



Background



Nutritional deficiencies are responsible for a wide range of health problems in sportswomen and can also have a deleterious effect on their sporting performance.


Very little research has been done into the specific needs of women in sport.

Study



The researchers reviewed **42 scientific articles published between 2012 and 2020.**

The main health problems caused by nutritional deficiencies are:



Other deficiencies observed in women include:

Iron	Calcium	Vitamin D
Magnesium	Folic acid	Vitamin B12

The prevalence of the female triad in sportswomen is linked to deficiencies in energy, proteins, minerals and vitamins in food intake. Many trainers, doctors and sports managers are unaware of it, despite its prevalence.

Conclusions

To prevent risks to sportswomen's health and improve their performance, it is essential to understand their energy requirements according to the sport they practice, each woman's own physique and when she practices.



 Scientific article: Update on nutritional deficiencies in sportswomen based on the scientific literature. Archivos Latinoamericanos de Nutrición, Vol. 70, no. 3, 2020.

Study by FoodLab (UOC research group), faculty from the UOC University Master's Degree in Food for Physical Exercise and Sport, and the MMHealth Science Expert Group (Dreanings).

Credit: Universitat Oberta de Catalunya

Eating food rich in iron, consuming more calcium and monitoring levels of vitamin D are some of the recommendations for female athletes deduced from a study performed within the framework of the Master's Degree in Food for Physical Exercise and Sport of the Universitat Oberta de Catalunya (UOC) by scientists of the UOC, the Universidad Internacional Isabel I de Castilla, the Universidad de Murcia and the Universidad de Granada. The study was published recently in the open-access scientific journal *Archivos Latinoamericanos de Nutrición*.

Based on a meta-analysis of 42 [scientific articles](#) published between 2012 and 2020, research reveals that some problems, such as energy deficit or deficiency of some micronutrients, are common among [female athletes](#), which not only impacts their performance but also jeopardizes their health.

"Sports are becoming increasingly popular, and therefore it is necessary to provide advice for both professional sportswomen and those who practice sport as a hobby," said Anna Bach-Faig, a researcher with the Foodlab group and director of the Master's Degree in Food for Physical Exercise and Sport of the UOC. "Not only to improve performance but also to preserve health."

Female Athlete Triad syndrome

Health problems to which sportswomen appear to be most susceptible include osteoporosis, amenorrhea and low energy availability, three ailments that, when they occur concurrently, are known in scientific

literature as Female Athlete Triad syndrome. According to the study, this is one of the most frequent ailments derived from inadequate nutrition in female athletes. However, despite its prevalence, many athletic trainers, physicians and sports coaches are still not aware of it.

"Until now there has been very little research into the specific needs of women who practice sport," explained Miguel Mariscal-Arcas, who is the lead author of the article, a UOC course instructor and researcher at the Universidad de Granada, "But women's physiology and body composition is different and therefore it is necessary to identify these needs and raise awareness about them."

For example, the greater need for iron is associated with menstruation, and calcium and vitamin D are essential to prevent the onset of osteoporosis, a disease to which women are more susceptible.

Other nutrients that have been identified as problematic for female athletes, due to the higher quantities they need compared to the [general population](#), are magnesium, folic acid, vitamin B12 and proteins. Of these, magnesium appears to be the cause for most concern, as the nutrient that most often presents deficits; and proteins are the nutrients that present least risk of deficiency, as all studies reveal that protein intake by female athletes exceeds the recommended amount, which can in turn lead to problems.

As for low energy, also very common in female athletes, this affects performance to a large extent, as well as health. It is therefore essential to understand the energetic needs of female athletes according to the sport they practice, its characteristics and the season in which they practice it.

"Identifying and correcting these deficits turns out to be key for both improving performance and preventing risks to the health of women who

practice sport," remarked Bach-Faig, who, together with the researcher Laura Esquius de la Zarza, has published another book dedicated to this subject, *Personalización y nuevas tendencias en alimentación deportiva* (Personalization and new tendencies in sports nutrition). "Reviews like this study make it possible to attain a more general perspective of the situation."

More information: Mireya Vázquez Franco, et al. Actualización sobre deficiencias nutricionales en la mujer deportista a partir de la literatura científica. *Archivos Latinoamericanos de Nutrición* Doi: 10.37527.2020.70.3.005

Provided by Universitat Oberta de Catalunya

Citation: Nutritional deficiencies that jeopardize the health of female athletes (2021, April 22) retrieved 1 May 2024 from <https://medicalxpress.com/news/2021-04-nutritional-deficiencies-jeopardize-health-female.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--