


People want to improve mental health by exercising, but stress and anxiety get in the way

April 12 2021



Credit: Unsplash/CC0 Public Domain

New research from McMaster University suggests the pandemic has created a paradox where mental health has become both a motivator for

and a barrier to physical activity.

People want to be active to improve their mental [health](#) but find it difficult to [exercise](#) due to stress and anxiety, say the researchers who surveyed more than 1,600 subjects in an effort to understand how and why mental health, physical activity and [sedentary behavior](#) have changed throughout the course of the [pandemic](#).

The results are outlined in the journal *PLOS ONE*.

"Maintaining a regular exercise program is difficult at the best of times and the conditions surrounding the COVID-19 pandemic may be making it even more difficult," says Jennifer Heisz, lead author of the study and an associate professor in the Department of Kinesiology at McMaster.

"Even though exercise comes with the promise of reducing anxiety, many respondents felt too anxious to exercise. Likewise, although exercise reduces depression, respondents who were more depressed were less motivated to get active, and lack of motivation is a symptom of depression," she says.

Respondents reported higher psychological stress and moderate levels of anxiety and depression triggered by the pandemic. At the same [time](#), aerobic activity was down about 20 minutes per week, strength training down roughly 30 minutes per week, and sedentary time was up about 30 minutes per day compared to six months prior to the pandemic.

Those who reported the greatest declines in physical activity also experienced the worst mental health outcomes, the researchers reported, while respondents who maintained their physical activity levels fared much better mentally.

Researchers also found economic disparities played a role, particularly

among younger adults.

"Just like other aspects of the pandemic, some demographics are hit harder than others and here it is people with [lower income](#) who are struggling to meet their physical activity goals," says Maryam Marashi, a graduate student in the Department of Kinesiology and co-lead author of the study. "It is plausible that younger adults who typically work longer hours and earn less are lacking both time and space which is taking a toll."

After analyzing the data, the researchers designed an evidence-based toolkit which includes the following advice to get active:

- Adopt a mindset: Some exercise is better than none.
- Lower exercise intensity if feeling anxious.
- Move a little every day.
- Break up sedentary time with standing or movement breaks.
- Plan your workouts like appointments by blocking off the time in your calendar.

"Our results point to the need for additional psychological supports to help people maintain their [physical activity](#) levels during stressful times in order to minimize the burden of the pandemic and prevent the development of a [mental health](#) crisis," says Heisz.

More information: Maryam Yvonne Marashi et al, A mental health paradox: Mental health was both a motivator and barrier to physical activity during the COVID-19 pandemic, *PLOS ONE* (2021). [DOI: 10.1371/journal.pone.0239244](https://doi.org/10.1371/journal.pone.0239244)

Provided by McMaster University

Citation: People want to improve mental health by exercising, but stress and anxiety get in the way (2021, April 12) retrieved 25 April 2024 from <https://medicalxpress.com/news/2021-04-people-mental-health-stress-anxiety.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.