


Study reveals need for equitable access to minimally invasive heart procedure

April 29 2021



Credit: Unsplash/CC0 Public Domain

An analysis of growth patterns in transcatheter aortic valve replacement (TAVR) programs across United States hospitals is being presented as late-breaking clinical science at the Society for Cardiovascular Angiography & Interventions (SCAI) 2021 Scientific Sessions. The findings indicate that TAVR hospital programs are predominately located in metropolitan areas serving patients with higher socioeconomic

status, potentially contributing to the disparities in cardiac care.

TAVR is a minimally invasive procedure for patients in need of a valve repair or replacement and is an alternative to surgical [aortic valve replacement](#) (SAVR), a [treatment option](#) requiring [open heart surgery](#). TAVR also provides eligible patients with quicker procedure times and a shorter recovery. Yet, despite the benefits of novel therapeutics such as TAVR, some patients are still referred to SAVR even if they are ideal candidates—prompting a deeper analysis of how the technology is disseminated in certain populations.

The study involved a cross-sectional analysis of Medicare claims data between January 1, 2012 and December 31, 2018. Linear regression models were used to compare socioeconomic characteristics of patients treated at hospitals that did and did not establish TAVR programs to determine the association between area-level markers of socioeconomic status and TAVR rates.

The findings reveal inequitable access to TAVR programs for non-metropolitan or lower-income areas across the country. Between 2012 and 2018, 554 hospitals developed new TAVR programs including 543 (98.0%) in metropolitan areas, and 293 (52.9%) in [metropolitan areas](#) with pre-existing TAVR programs. Compared with hospitals that did not start TAVR programs, hospitals that did start TAVR programs treated patients with higher median household incomes (difference \$1,305, 95% CI \$134 to \$12,477, $p=0.03$). Furthermore, TAVR rates per 100,000 Medicare beneficiaries were higher in areas with higher median income, despite adjusting for age and clinical comorbidities.

"TAVR has the potential to be an innovative and effective treatment option for heart valve patients, but can only work to its full potential if all patients have access to it. Our study results show a gap, and as clinicians, we know that these inequities can unfortunately translate into

differing outcomes," said Ashwin Nathan, M.D., Fellow, Cardiovascular Medicine, Hospital of the University of Pennsylvania. "While this is just one example of health inequities, our hope is that these findings will activate a change in how we introduce high-tech solutions, so that all communities can access the care they need."

The authors also acknowledge that increasing access to TAVR and structural heart programs will require foresight into how clinical trials and approval for procedures and technologies at hospitals are distributed.

Provided by Society for Cardiovascular Angiography and Interventions

Citation: Study reveals need for equitable access to minimally invasive heart procedure (2021, April 29) retrieved 6 May 2024 from <https://medicalxpress.com/news/2021-04-reveals-equitable-access-minimally-invasive.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--