

Skin reactions usually mild after COVID-19 vaccination

April 12 2021



(HealthDay)—Skin reactions can occur following COVID-19



vaccination, but reactions are mild, according to a study published online April 7 in the *Journal of the American Academy of Dermatology*.

Devon E. McMahon from Harvard Medical School in Boston and colleagues evaluated cases of cutaneous manifestations after COVID-19 vaccination.

The researchers report that from December 2020 to February 2021, there were 414 cutaneous reactions to mRNA COVID-19 vaccines (Moderna, 83 percent; Pfizer, 17 percent). The most common manifestations were delayed large local reactions, followed by local injection site reactions, urticarial eruptions, and morbilliform eruptions. Second-dose recurrence occurred among 43 percent of patients with first-dose reactions. No patients developed adverse events after either dose.

"As dermatologists, we view the skin as a window into what is happening elsewhere in your body," a coauthor said in a statement. "Through this research, we have a deeper understanding of how the COVID-19 <u>vaccine</u> affects our patients and their skin, and I hope our findings, which show that people tolerated vaccination well even when they did develop <u>skin</u> side effects, offer greater reassurance for anyone who is hesitant to get vaccinated."

More information: Abstract/Full Text

Copyright © 2021 HealthDay. All rights reserved.

Citation: Skin reactions usually mild after COVID-19 vaccination (2021, April 12) retrieved 17 April 2024 from

https://medicalxpress.com/news/2021-04-skin-reactions-mild-covid-vaccination.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.