

Traffic-related pollution linked to early markers for cardiovascular disease in children

April 30 2021, by Leigh Hopper



Daily exposure to traffic-related air pollution during childhood may set the stage for cardiovascular disease in later life. Credit: Photo/Simone Ramella

Daily exposure to auto emissions during childhood may set the stage for



cardiovascular disease in later life, according to a USC Children's Health Study that followed 70 children into young adulthood.

The research, published recently in the journal *Environmental Health*, used ultrasound to examine the carotid arteries in participants at age 10 and again a decade later. Changes in <u>carotid artery</u> intima-media thickness, or CIMT, is a measure of very early-stage atherosclerosis, the underlying cause of most <u>cardiovascular disease</u>.

"Air pollution exposure has been strongly linked to adverse cardiovascular effects in adults. However, relatively few studies have examined the impact of air pollutants on the cardiovascular health of children and young adults," said lead author Shohreh Farzan, an environmental epidemiologist at the Keck School of Medicine of USC. "To our knowledge, ours is the first study to evaluate changes in CIMT during the important transition from childhood to early adulthood."

Launched in 1993 in Los Angeles—the city with the worst smog in the nation—the Children's Health Study is one of the largest and most comprehensive investigations of the long-term effects of air pollution on the respiratory health of children.

The latest study drew from the most recent cohort of the Children's Health Study: approximately 5,000 children from kindergarten and first grade in 2002-2003. Children in the current study came from 13 communities in Southern California, representing a mixture of neighborhood settings.

For each child, the researchers calculated average residential exposures to ambient, regional pollutants such as ozone, nitrogen dioxide and particulate matter by using regulatory air monitoring data. They estimated exposure to <u>nitrogen oxides</u> based on the proximity of a child's home to busy freeways.



Nitrogen oxides, which include <u>nitrogen dioxide</u>, are a family of poisonous gases. Most nitrogen oxides are formed when fuel is burned at high temperatures in cars, trucks and power plants.

Children exposed to auto emissions could have increased cardiovascular risk

The researchers measured CIMT in microns per year, once in 2007-2008 when the children were 10 or 11 years old and again a decade later in 2018-2019. Though tiny in scale—a strand of human hair measures 17 to 181 microns in diameter—CIMT is a widely used measurement associated with risk of heart attacks and strokes.

Traffic-related exposures were associated with a 1.7 micron per year change in CIMT in these young adults, which roughly equals the change in CIMT previously observed in adolescents with an increase of 10 mm Hg of systolic blood pressure, a known cardiovascular risk factor.

"We found that greater exposures to pollutants in <u>auto emissions</u>, like nitrogen oxides, and greater traffic density in childhood were linked to greater yearly increases in CIMT from childhood to adulthood," Farzan said.

She noted that future studies will provide a fuller picture of the interplay between diet, physical activity and pollution exposure.

Early detection of carotid artery changes has the potential to improve understanding of how cardiovascular disease develops over time in relation to air pollution, Farzan said, and to help identify children at risk for cardiovascular disease as adults.

More information: Shohreh F. Farzan et al. Childhood traffic-related



air pollution and adverse changes in subclinical atherosclerosis measures from childhood to adulthood, *Environmental Health* (2021). DOI: 10.1186/s12940-021-00726-x

Provided by University of Southern California

Citation: Traffic-related pollution linked to early markers for cardiovascular disease in children (2021, April 30) retrieved 4 May 2024 from https://medicalxpress.com/news/2021-04-traffic-related-pollution-linked-early-markers.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.