


# Trial of existing antibiotic for treating *Staphylococcus aureus* bacteremia begins

April 27 2021

---



Scanning electromicrograph of *Staphylococcus aureus* bacteria. Credit: NIAID

A clinical trial to test the antibiotic dalbavancin for safety and efficacy in treating complicated *Staphylococcus aureus* (*S. aureus*) bacteremia has begun. The trial will enroll 200 adults hospitalized with complicated *S. aureus* infection at approximately 20 trial sites around the United States. The trial is being sponsored by the National Institute of Allergy and Infectious Diseases (NIAID), part of the National Institutes of Health.

*S. aureus* is a leading cause of antibiotic-resistant infection. *S. aureus* infections led to nearly 20,000 deaths in 2017 in the United States, according to the U.S. Centers for Disease Control and Prevention (CDC). This bacterium is of particular concern in healthcare-associated infections. *S. aureus* bacteremia—an infection of the blood—often requires inserting a central intravenous (IV) catheter to deliver long courses of antibiotics, an invasive procedure that can involve long-term care in healthcare facilities.

"As antibiotic-resistant infections become more widespread, better and easier treatment regimens are needed to ease the burden on both healthcare providers and patients," said NIAID Director Anthony S. Fauci, M.D. "By investigating existing antibiotics for their action on a broader array of bacterial infections, we may be able to generate new treatment regimens more efficiently."

The antibiotic dalbavancin has strong activity against [gram-positive bacteria](#), including methicillin-resistant *S. aureus*, which suggests it could be an [effective treatment](#) for *S. aureus* bacteremia. Dalbavancin is currently FDA-approved in the United States for treating acute bacterial skin and skin structure infections, including those caused by *S. aureus*. If the two-dose regimen being tested in this trial proves effective, it could

lead to a shorter, less invasive treatment for *S. aureus* bacteremia that does not require an indwelling IV access for daily therapy.

The Phase 2b trial is being conducted by the NIAID-funded Antibacterial Resistance Leadership Group (ARLG) under the leadership of Thomas Holland, M.D., of Duke University (Durham, North Carolina.) It is called the "Dalbavancin as an Option for Treatment of *S. aureus* Bacteremia (DOTS)" trial. Patients who have stabilized after initial treatment of their bacteremia will be eligible for enrollment in this study.

"Dalbavancin is appealing as a potential option for treatment of these serious *S. aureus* infections, and we need high quality data to find out if it works," said Dr. Holland. "This trial will provide clinicians and patients with that data."

One hundred participants will be randomized to receive the standard of care for complicated infections, including appropriate antibiotics, and 100 participants will receive two doses of dalbavancin intravenously. The doses will be given one week apart. Most participants receiving dalbavancin will be given 1500 milligrams (mg) per dose. Participants with signs of kidney dysfunction will be given 1125 mg per dose. All participants will be followed for approximately 70 days after enrollment, and up to six months if they have vertebral osteomyelitis, an [infection](#) of the vertebrae.

At the end of the trial, multiple patient outcomes will be assessed: survival; additional complications (such as relapse) or clinical failures; drug-related adverse events; and overall quality of life. The therapeutic regimen will have met the primary endpoint of the trial if participants who received dalbavancin fare better on these metrics than those who received the current standard of care. This trial could validate a dalbavancin regimen of only one dose a week for two weeks, compared

to daily doses administered intravenously for four to six weeks with the current standard of care.

Provided by NIH/National Institute of Allergy and Infectious Diseases

Citation: Trial of existing antibiotic for treating *Staphylococcus aureus* bacteremia begins (2021, April 27) retrieved 9 May 2024 from <https://medicalxpress.com/news/2021-04-trial-antibiotic-staphylococcus-aureus-bacteremia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.