


Why women may be better equipped to fight COVID

April 15 2021, by Sarah Avery



Credit: Pixabay/CC0 Public Domain

When it comes to COVID-19, women seem to be the stronger sex, suffering severe disease at about half the rate as men, but the reason for this has been elusive.



Now, a chance experiment by an ophthalmology researcher at Duke Health has led to an insight: Women have more of a certain type of immune cell that fights infections in mucosal tissue, and these <u>immune</u> <u>cells</u> amass in the lungs, poised to attack the COVID virus.

"Better armed with these specialized immune cells, women appear to be more equipped to fight some of the most severe impacts of COVID-19, notably the respiratory infections that can become life-threatening," said Daniel Saban, Ph.D., an associate professor in Duke's Department of Ophthalmology and in the Department of Immunology.

Saban, who led the study that appears online in the Cell Press journal *Med*, said the investigation began last spring as COVID first spread and he was sidelined from his normal caseload studying eye diseases. A piece of equipment in his lab—a device that can perform 36-color flow cytometry—was sitting idle, so he decided to use it to examine <u>blood</u> <u>samples</u> from COVID patients.

"We didn't start with a hypothesis," Saban said. "It was a completely unbiased approach, where we asked our colleagues to provide blood and <u>tissue samples</u> from COVID patients as well as healthy people. We had no idea what we would find, if anything."

Saban and the members of his lab, including Chen Yu, Ph.D. and Sejiro Littleton, quickly saw that a white blood cell called mucosal associated invariant T cells, or MAIT cell, circulated more abundantly in the blood from healthy women compared to healthy men. MAIT cells are highly specialized white blood cells that contribute to immune defenses in mucosal organs and tissues.

Among COVID patients, however, there were few MAIT cells circulating in the blood, even among women, where the population of MAIT cells radically fell off, leading the researchers to question where



these cells had gone.

They found their answer in tissue samples from the lungs of COVID patients. Overall, there were an abundance of MAIT cells in the lung tissue of people with COVID, but upon closer inspection, they found night-and-day differences between the sexes.

"We first found this dichotomy in healthy <u>blood</u>," Saban said. "Circulating MAIT cells in <u>women</u> expressed genes indicative of a robust profile poised for fighting an infection, but this was not the case in males. Then we looked in the tissue and were able to find evidence of this same pattern by sex."

Saban said there are numerous examples of sexual differences in the immune responses to infections, noting those differences have been prevalent all along with COVID-19.

"Our findings uncover a female-specific protective profile carried out by these MAIT <u>cells</u>, and this could potentially help guide the development of treatments and therapies," he said.

More information: Mucosal Associated Invariant T (MAIT) Cell Responses Differ by Sex in COVID-19. *Med*, DOI: <u>doi.org/10.1016/j.medj.2021.04.008</u>

Provided by Duke University School of Nursing

Citation: Why women may be better equipped to fight COVID (2021, April 15) retrieved 21 May 2024 from <u>https://medicalxpress.com/news/2021-04-women-equipped-covid.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.