

# Men with chest pain receive faster, more medical attention than women

May 6 2021

---



Credit: CC0 Public Domain

Among younger adults visiting the emergency department for chest pain, women may be getting the short end of the stick. Compared with men of similar age, women were triaged less urgently, waited longer to be seen,

and were less likely to undergo basic tests or be hospitalized or admitted for observation to diagnose a heart attack, according to new research being presented at the American College of Cardiology's 70th Annual Scientific Session.

The study is the first to examine emergency room management of [chest pain](#) specifically among younger adults (age 18-55 years). Heart disease is the leading cause of death in women and is becoming more common in younger adults. About one-third of women who were hospitalized for a [heart attack](#) in the past two decades were under the age of 55, a proportion that has grown in recent years.

"Women should trust their instincts," said Darcy Banco, MD, an internal medicine resident at NYU Langone Health and the study's lead author.

"Women should seek care right away if they experience new chest discomfort, difficulty breathing, nausea, vomiting, fatigue, sweating or back pain, as these could all be signs of a heart attack. The most important thing a woman can do is to seek [medical care](#) if she is worried and to ask specific questions of her doctor."

Chest discomfort is the most common symptom of a heart attack in both men and women, but research shows that women can have a broader range of accompanying symptoms that may not initially be recognized as a sign of a heart attack. Chest discomfort caused by a heart attack can be perceived as pain, pressure, tightness or another uncomfortable sensation.

The study is based on data collected by the National Hospital Ambulatory Medical Care Survey between 2014-2018. Researchers extrapolated the data to represent an estimated 29 million emergency department visits for chest pain in the U.S. among adults aged 18-55; women comprised nearly 57% of those visits.

Researchers found that women reporting chest [pain](#) were equally likely to arrive at the hospital by ambulance but significantly less likely than men to be triaged as emergent. On average, women waited about 11 minutes longer to be evaluated by a clinician. Women were also significantly less likely to undergo an electrocardiogram (EKG), the standard initial test used to diagnose a heart attack, or to receive cardiac monitoring or be seen by a consultant, such as a cardiologist.

Medical guidelines recommend that all patients with possible heart attack symptoms receive an EKG within 10 minutes of arrival in the [emergency department](#) to minimize the time to treatment.

"Time is very important when you're treating heart attacks," Banco said. "The longer people wait, the worse their outcomes can be."

The study did not examine the reasons why women with [chest pain](#) were treated differently than men. Banco suggested that pre-conceived notions of risk—rather than overt discrimination—likely play a role. Historically, heart attacks have been most common in older men, and clinicians may be less likely to suspect a heart attack among patients outside of that demographic. Banco suggested clinicians should appreciate that younger [women](#) represent a growing portion of heart attack patients.

"We, as [health care providers](#), should continue to learn about how best to triage and diagnose patients with heart attacks, particularly among those who have historically been under-diagnosed or under-treated," Banco said. "We are learning that heart attacks take many forms. We need to continue to raise awareness and make sure all patients are diagnosed and treated properly, even if they're not the 'classic' demographic for a [heart](#) attack. [This knowledge] will help us improve care for all."

**More information:** Banco will present the study, "Sex Differences in

Evaluation and Management of Young Adults Presenting to the Emergency Department with Chest Pain," on Saturday, May 15, at 9:30 a.m. ET / 13:30 UTC.

Provided by American College of Cardiology

Citation: Men with chest pain receive faster, more medical attention than women (2021, May 6) retrieved 24 April 2024 from

<https://medicalxpress.com/news/2021-05-men-chest-pain-faster-medical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.