

How to manage osteoporosis in hematologic stem cell transplant recipients

May 3 2021



Credit: Unsplash/CC0 Public Domain

Impaired bone health is among the most significant long-term consequences of hematopoietic stem cell transplantation (HSCT), a common therapy for patients with malignant and non-malignant hematological diseases.

To address this serious problem, the International Osteoporosis Foundation (IOF) expert Working Group on Cancer and Bone Disease has published a new Executive Summary of its authoritative state-of-the-art review. The review outlined the major factors affecting [bone health](#) in HSCT patients, and provided expert guidance for the monitoring, evaluation and treatment of bone loss in these patients. Published in the *Journal of Bone Oncology*, the Executive Summary now provides a helpful management algorithm and succinct key guidance based on the Working Group's expert opinion.

Professor René Rizzoli, Chair of the IOF Cancer and Bone Working Group and Emeritus Professor of Medicine at the University Hospitals of Geneva, Switzerland, stated:

"This concise summary aims to encourage and assist hematologists and oncologists in addressing osteoporosis and fracture prevention in their hematopoietic stem cell transplantation patients. The 'check list' includes bone mineral density examination, evaluation of clinical risk factors, and general dietary and physical activity measures, with appropriate application of osteoporosis pharmacotherapies in those who are found to be at increased high risk of fracture."

Professor Nicholas Harvey, Chair of the IOF Committee of Scientific Advisors and Professor of Rheumatology and Clinical Epidemiology at the MRC Lifecourse Epidemiology Unit, University of Southampton, UK added:

"Unfortunately, too many hematopoietic stem cell transplantation recipients are not being monitored and treated for bone fragility, despite the fact that poor bone health is a significant comorbidity post-HSCT. We therefore urge all physicians who care for HSCT recipients to take action to protect their patients' long-term [bone](#) health. It is important to keep in mind that fragility fractures can be severely debilitating, with

resulting loss of physical independence and quality of life."

More information: D.L. Kendler et al, Osteoporosis management in hematologic stem cell transplant recipients: Executive summary, *Journal of Bone Oncology* (2021). [DOI: 10.1016/j.jbo.2021.100361](https://doi.org/10.1016/j.jbo.2021.100361)

Provided by International Osteoporosis Foundation

Citation: How to manage osteoporosis in hematologic stem cell transplant recipients (2021, May 3) retrieved 3 May 2024 from <https://medicalxpress.com/news/2021-05-osteoporosis-hematologic-stem-cell-transplant.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--