

Many people could reduce their 'feeding window' by three hours, finds new time-restricted feeding study

May 11 2021



Credit: Pixabay/CC0 Public Domain

A new study from the University of Surrey has revealed 'real world' factors that influence people's interest in adopting a dietary pattern

called time-restricted feeding.

According to NHS England, 67% of men and 60% of women in the UK are overweight or obese—with more than 11,000 yearly hospital admissions directly attributable to obesity.

Time-restricted feeding, which is a type of intermittent fasting, is the practice of restricting the time between the first and last food intake each day—therefore prolonging the daily fasting period.

In a study published by the journal *Appetite*, researchers from Surrey surveyed 608 people to determine the factors that would help or hinder them in adopting a time-restricted feeding routine.

The study found that the majority of respondents had a feeding window of between 10 to 14 hours on workdays and free days. More than 400 respondents believed they could reduce their feeding window by three hours if there were clear health benefits associated with the practice.

The study also revealed that the percentage of participants' likelihood of taking up intermittent fasting declined as the duration of the time restriction increased—with 85% believing they could reduce their window by up to 0.5 hours, to 20% believing they could sustain a reduction of four or more hours.

The respondents also pinpointed time availability (69%), ease of following (62%), and [work commitments](#) (54%) as key factors that might influence their decision to adopt intermittent [fasting](#).

Jonathan Johnston, senior author of the study and Professor of Chronobiology and Integrative Physiology at the University of Surrey, said: "Time-restricted feeding has the potential to become an extremely effective tool in the fight against the obesity epidemic facing many

countries. However, the study clearly shows that the ability of people to restrict their daily feeding [window](#) is dependent on their individual lifestyles."

More information: Paul W. Jefcoate et al. Identification of factors influencing motivation to undertake time-restricted feeding in humans, *Appetite* (2021). [DOI: 10.1016/j.appet.2021.105240](https://doi.org/10.1016/j.appet.2021.105240)

Provided by University of Surrey

Citation: Many people could reduce their 'feeding window' by three hours, finds new time-restricted feeding study (2021, May 11) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-05-people-window-hours-time-restricted.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.