

Bacteria are connected to how babies experience fear

June 4 2021



Credit: Unsplash/CC0 Public Domain

Why do some babies react to perceived danger more than others? According to new research from Michigan State University and the University of North Carolina, Chapel Hill, part of the answer may be

found in a surprising place: an infant's digestive system.

The human digestive system is home to a vast community of microorganisms known as the gut microbiome. The MSU-UNC research team discovered that the gut microbiome was different in infants with strong [fear](#) responses and infants with milder reactions.

These fear responses—how someone reacts to a scary situation—in [early life](#) can be indicators of future mental health. And there is growing evidence tying neurological well-being to the microbiome in the gut.

The new findings suggest that the gut microbiome could one day provide researchers and physicians with a new tool to monitor and support healthy neurological development.

"This early developmental period is a time of tremendous opportunity for promoting healthy brain development," said MSU's Rebecca Knickmeyer, leader of the new study published June 2 in the journal *Nature Communications*. "The microbiome is an exciting new target that can be potentially used for that."

Studies of this connection and its role in fear response in animals led Knickmeyer, an associate professor in the College of Human Medicine's Department of Pediatrics and Human Development, and her team to look for something similar in humans. And studying how humans, especially young [children](#), handle fear is important because it can help forecast mental health in some cases.

"Fear reactions are a normal part of child development. Children should be aware of threats in their environment and be ready to respond to them" said Knickmeyer, who also works in MSU's Institute for Quantitative Health Science and Engineering, or IQ. "But if they can't dampen that response when they're safe, they may be at heightened risk

to develop anxiety and depression later on in life."

On the other end of the response spectrum, children with exceptionally muted fear responses may go on to develop callous, unemotional traits associated with antisocial behavior, Knickmeyer said.

To determine whether the gut microbiome was connected to fear response in humans, Knickmeyer and her co-workers designed a pilot study with about 30 infants. The researchers selected the cohort carefully to keep as many factors impacting the gut microbiome as consistent as possible. For example, all of the children were breastfed and none was on antibiotics.

The researchers then characterized the children's microbiome by analyzing stool samples and assessed a child's fear response using a simple test: observing how a child reacted to someone entering the room while wearing a Halloween mask.

"We really wanted the experience to be enjoyable for both the kids and their parents. The parents were there the whole time and they could jump in whenever they wanted," Knickmeyer said. "These are really the kinds of experiences infants would have in their everyday lives."

Compiling all the data, the researchers saw significant associations between specific features of the gut microbiome and the strength of infant fear responses.

For example, children with uneven microbiomes at one month of age were more fearful at one year of age. Uneven microbiomes are dominated by a small set of bacteria, whereas even microbiomes are more balanced.

The researchers also discovered that the content of the microbial

community at one year of age related to [fear responses](#). Compared with less fearful children, infants with heightened responses had more of some types of bacteria and less of others.

The team, however, did not observe a connection between the children's [gut microbiome](#) and how the children reacted to strangers who weren't wearing masks. Knickmeyer said this is likely due to the different parts of the brain involved with processing potentially frightening situations.

"With strangers, there is a social element. So children may have a social wariness, but they don't see strangers as immediate threats," Knickmeyer said. "When children see a mask, they don't see it as social. It goes into that quick-and-dirty assessment part of the brain."

As part of the study, the team also imaged the children's brains using MRI technology. They found that the content of the microbial community at 1 year was associated with the size of the amygdala, which is part of the brain involved in making quick decisions about potential threats.

Connecting the dots suggests that the [microbiome](#) may influence how the amygdala develops and operates. That's one of many interesting possibilities uncovered by this new study, which the team is currently working to replicate. Knickmeyer is also preparing to start up new lines of inquiry with new collaborations at IQ, asking new questions that she's excited to answer.

"We have a great opportunity to support neurological health early on," she said. "Our long-term goal is that we'll learn what we can do to foster healthy growth and development."

More information: Alexander L. Carlson et al, Infant gut microbiome composition is associated with non-social fear behavior in a pilot study,

Nature Communications (2021). [DOI: 10.1038/s41467-021-23281-y](https://doi.org/10.1038/s41467-021-23281-y)

Provided by Michigan State University

Citation: Bacteria are connected to how babies experience fear (2021, June 4) retrieved 5 May 2024 from <https://medicalxpress.com/news/2021-06-bacteria-babies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.