

A history of blood clots is not usually any reason to avoid the AstraZeneca vaccine

June 10 2021, by Sant-Rayn Pasricha and Paul Monagle



Credit: Anna Shvets from Pexels

As hematologists, we look after many patients who have had blood clots in the past or take blood thinners. They often ask: "should I have the AstraZeneca vaccine?"

The answer is usually a definitive "yes." The [blood clots](#) we've seen following the AstraZeneca vaccine are completely different to other types of [blood](#) clots, such as deep vein thrombosis or a pulmonary embolism, or the clots that cause heart attacks and strokes.

People with a history of these sorts of conditions don't appear to be at any [increased risk](#) from the AstraZeneca vaccine.

In fact, people in this group could be [at greater risk](#) from COVID-19, so shouldn't delay getting vaccinated.

First, how does blood form clots?

Blood flows through our body's vessels as a liquid, carrying oxygen, nutrients, proteins and [immune cells](#) to every organ. But if we get injured or undergo surgery, our body needs to plug the wound to stem bleeding.

Our blood contains components that allow it to quickly transform from a fluid into a semi-solid [clot](#) in a few seconds.

At the first sign of damage, the smallest of the [blood cells](#)—the platelets—stick to the damaged vessel wall, and together with the damaged wall itself, attract a legion of clotting proteins, which amass on the damaged site and bind the wound.

Venous clots

Sometimes these natural clotting and anti-clotting processes in the blood become unbalanced, putting a person [at risk](#) of developing blood clots in their veins. This can occur in people:

- with cancer or an infection
- who are pregnant
- who are taking an estrogen-containing contraceptive pill
- who are immobilized during and after surgery or following major trauma
- who have certain inherited conditions.

In all of these cases, an abnormal blood clot can develop in the deep veins of the thigh and groin (deep vein thrombosis), or the lung (pulmonary embolism).

Very rarely, blood clots occur in other places—for example, the veins of the abdomen or the brain.

Arterial clots

Arteries supplying blood to the heart, brain and lower limbs can [become narrowed](#), usually due to [risk factors](#) including smoking, diabetes, and high blood pressure and cholesterol.

A [clot](#) forming in these sites can obstruct [blood flow](#), causing, for example, a [heart attack](#) or stroke.



Credit: Anna Shvets from Pexels

What is TTS?

The AstraZeneca vaccine is associated with a rare condition called thrombosis with thrombocytopenia syndrome, [or TTS](#). Cases of the condition have also been reported following the [Johnson & Johnson COVID vaccine](#), though this one isn't available in Australia.

We now know a lot more about this condition than we did a few months ago.

TTS is caused by an abnormal [immune response](#), resulting in the

development of an [antibody directed at the platelets](#) (blood cells which prevent bleeding). This causes the platelets to become hyperactive, which triggers blood clots in the body, including in places we don't normally see clots, like in the brain or the abdomen.

This process also consumes platelets, which results in a low platelet count. In the name "thrombosis" refers to clots, and "thrombocytopenia" to low platelet count.

The Australian Technical Advisory Group on Immunization (ATAGI) recently estimated the risk of TTS in Australia at [around 1.6 in 100,000](#) doses of the AstraZeneca vaccine administered in people 50 and older, although this data may change as more people are vaccinated.

Fortunately, [diagnosis and treatment](#) for TTS has progressed rapidly. Doctors now know the symptoms to look out for, and hematologists have identified [treatments for the condition](#). These include intravenous immunoglobulin (a concentrate of antibodies from healthy donors) and [blood thinners](#).

Outcomes for people with TTS have improved significantly worldwide since the condition was first recognized earlier in the year. In Australia, [most patients](#) with TTS have recovered or are recovering.

Don't delay getting the vaccine

There's [no evidence](#) people who have previously experienced blood clots, have an inherited risk of blood clots, or who take blood thinners or related medications, [have any increased risk](#) of TTS.

As an immune-driven disease that causes platelet over-activity, the mechanism for TTS is completely different from other types of blood clots.

In this light, ATAGI recently advised the AstraZeneca vaccine is safe for these people.

[#NEW](#) ATAGI has advised people with a direct or family history of blood clots, heart disease or stroke, low platelet count and those on anti-blood clot medication are not more likely to get TTS from the AstraZeneca vaccine.

[@dailytelegraph](https://t.co/JPkqj8Qcbd)

— Clare Armstrong (@ByClare) [May 23, 2021](#)

As a precaution, Australian [guidelines](#) recommend certain people should avoid the AstraZeneca [vaccine](#) and have the Pfizer jab instead. These include people:

- who have had a previous episode of [heparin-induced thrombocytopenia](#) (a "cousin" of TTS)
- who have had venous blood clots in their brain or abdomen
- who have a very rare antibody-driven clotting disease called [antiphospholipid syndrome](#)
- who are aged under 50.

It's crucial to remember that people with risk factors for heart attacks and strokes, including [diabetes](#) and high blood pressure, are at increased risk of developing [severe COVID-19](#) if they are infected. Further, [COVID itself](#) makes the blood more "sticky" and significantly increases the risk of blood clots.

So we advise our patients: even if you've had [deep vein thrombosis](#), a pulmonary embolism, a heart attack or a stroke previously, you're not at [increased risk](#) of TTS from vaccination. You should get vaccinated as soon as you're eligible.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: A history of blood clots is not usually any reason to avoid the AstraZeneca vaccine (2021, June 10) retrieved 6 May 2024 from <https://medicalxpress.com/news/2021-06-history-blood-clots-astrazeneca-vaccine.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.