

Indigenous people travel long distances to give birth compared with non-Indigenous people

June 21 2021



Credit: CC0 Public Domain

Indigenous people living in rural Canada are 16 times more likely to have to travel 200 km or more to give birth than non-Indigenous people,



underscoring the need for more access to birthing facilities and providers for Indigenous families in rural regions, found new research published in *CMAJ* (*Canadian Medical Association Journal*).

Using data from the Canadian Maternity Experiences Survey (MES), this study included 3100 mothers living in rural and small towns in Canada and weighted the sample to represent 31,100 mothers, totaling 1800 Indigenous and 29,300 non-Indigenous mothers. First Nations women living on-reserve were excluded from the MES. Indigenous mothers were younger and were more likely to be single, have lower levels of education, have an income under \$30,000 a year, have experienced abuse and have been admitted to hospital during pregnancy than non-Indigenous mothers.

Taking these factors into account, the study found that in <u>rural areas</u>, 23% of Indigenous people travelled 200 km or more to give birth compared with only 2% of non-Indigenous people.

"Our findings show an Indigenous and non-Indigenous disparity in geographic access to birthing within rural areas and suggest that this disparity is not primarily driven by medical complications of pregnancy, birth complications requiring cesarian delivery or other birth complications," writes Dr. Janet Smylie, St. Michael's Hospital, Unity Health Toronto and the University of Toronto, with coauthors.

In Canada, Indigenous people are more likely to live in rural and remote regions than in urban areas. The study accounts for this, and the authors suggest that this discrepancy in travel distances can be attributed to a lack of birthing facilities and providers near rural Indigenous communities—a legacy of colonial policies that prioritized non-Indigenous settlements for locating quality health care facilities.

"Given the size of the Indigenous and non-Indigenous disparity in access



to birth close to home identified by our study, the documented negative impacts of birth away from home for Indigenous families, and existing recommendations, there is a clear need to advance policies that support more equitable geographic access to birthing for Indigenous families in rural areas," write the authors.

The authors suggest that supporting Indigenous midwives and other <u>health professionals</u> as well as involving Indigenous leaders and communities in health service planning and delivery could increase access to <u>birth</u> closer to home for Indigenous peoples living in rural and remote areas.

More information: Long-distance travel for birthing among Indigenous and non-Indigenous pregnant people in Canada, *Canadian Medical Association Journal* (2021). www.cmaj.ca/lookup/doi/10.1503/cmaj.201903

Provided by Canadian Medical Association Journal

Citation: Indigenous people travel long distances to give birth compared with non-Indigenous people (2021, June 21) retrieved 19 April 2024 from https://medicalxpress.com/news/2021-06-indigenous-people-distances-birth-non-indigenous.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.