

NIH launches clinical trial of universal influenza vaccine candidate

June 2 2021



A computer-generated image showing HA epitopes arrayed on a nanoparticle.
Credit: NIAID

A first-in-human, Phase 1 trial assessing the safety and immunogenicity of an investigational nanoparticle influenza vaccine designed to provide long-lasting protection against multiple flu virus strains has begun at the National Institutes of Health Clinical Center in Bethesda, Maryland. Healthy participants 18 to 50 years old will receive either a licensed seasonal influenza vaccine or the experimental vaccine, FluMos-v1. Scientists from NIH's National Institute of Allergy and Infectious Diseases (NIAID) developed FluMos-v1 to stimulate antibodies against multiple influenza virus strains by displaying part of the influenza virus hemagglutinin (HA) protein on self-assembling nanoparticle scaffolds. Alicia T. Widge, M.D., of NIAID's Vaccine Research Center (VRC), is the principal investigator of the NIAID-sponsored single-site trial.

"The health and economic burdens of [influenza](#) are substantial, and the world badly needs improved flu vaccines," said NIAID Director Anthony S. Fauci, M.D. "I am encouraged by the great promise of the VRC nanoparticle [vaccine](#) candidate, which so far has performed very well in pre-clinical testing."

Standard influenza vaccines must be reformulated and administered annually to match changes in the HA protein in the viral [strains](#) predicted to dominate in the upcoming influenza season. If the vaccine is not well matched to dominant circulating virus [strains](#), the [antibodies](#) elicited may provide sub-optimal protection. So-called universal influenza vaccines are being developed and tested by many research groups and could one day eliminate the need for annual vaccination by generating long-lasting [antibodies](#) to protect against many existing or emergent influenza virus strains, including those not represented in the vaccine.

Similar to commercially available flu vaccines, the experimental nanoparticle FluMos-v1 vaccine is designed to elicit antibodies directed

against the HA protein from four different virus strains, two influenza type A strains of H1 and H3 subtype and two influenza type B strains. However, unlike conventional flu vaccines, FluMos-v1 displays multiple copies of each of the four HA types. The 20 HA epitopes arrayed in repeating patterns on the nanoparticle scaffolds sent a strong signal to the [immune system](#) and prompted a robust antibody response in animal models.

In their recently published animal study, VRC scientists led by Barney S. Graham, M.D., Ph.D., and Masaru Kanekiyo, D.V.M., Ph.D., and their collaborators from the University of Washington tested the investigational nanoparticle vaccine in mice, ferrets and monkeys, and compared the immune responses generated to those made by a commercially available seasonal flu vaccine. FluMos-v1 performed as well as or slightly better than the commercial vaccine in eliciting antibodies matched to the vaccine's HA components. FluMos-v1 vastly outperformed the seasonal [flu vaccine](#) in its ability to elicit protective antibodies to two [influenza](#) type A subtypes (H5 and H7) not in the vaccine.

The clinical trial aims to enroll 35 participants, 15 of whom will receive a single intramuscular injection of an FDA-licensed, quadrivalent seasonal [flu vaccine](#). Five participants will receive one 20-microgram (mcg) dose of the investigational vaccine by intramuscular injection. If there are no safety concerns detected at that dosage, an additional 15 volunteers will receive one 60-mcg dose of the investigational vaccine.

Participants will keep a diary for a week following vaccination in which to report any signs or symptoms, including redness, pain or swelling at the injection site, tiredness, headache, muscle aches or joint pain. All volunteers will record their temperature daily and will measure any swelling or redness at the injection site. Volunteers will return to the NIH Clinical Center periodically for 40 weeks—over one flu

season—after inoculation and will provide [blood samples](#). The [blood samples](#) will yield information about the safety of the investigational vaccine and also will be assessed to determine levels of HA-directed antibodies produced following vaccination. Participants who receive FluMos-v1 will have oral mucosal samples taken that will be used for research purposes to determine the oral mucosal immune response to the [vaccine](#).

More information: Seyhan Boyoglu-Barnum et al, Quadrivalent influenza nanoparticle vaccines induce broad protection, *Nature* (2021). [DOI: 10.1038/s41586-021-03365-x](https://doi.org/10.1038/s41586-021-03365-x)

Provided by NIH/National Institute of Allergy and Infectious Diseases

Citation: NIH launches clinical trial of universal influenza vaccine candidate (2021, June 2) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-06-nih-clinical-trial-universal-influenza.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.