

School closures account for half of mental health decline in mothers during pandemic

June 8 2021



Credit: Unsplash/CC0 Public Domain

Researchers at the Universities of Surrey, Essex and Birmingham, funded by the Nuffield Foundation, have studied the dynamics of parents' mental health during the pandemic.

The study uses data from Understanding Society, the UK Household Longitudinal Study's COVID-19 survey, which collected data from around 1,500 parents during the pandemic from April until November 2020.

The study is the first of its kind to look specifically at the impact of having [children](#) at home as a result of school closures. The research separates this from other factors affecting parents' mental [health](#) during the pandemic. Researchers found that, on six occasions between April 2020 and November 2020, parents with children aged 4-12 (in year groups Reception to Year 7) reported worse mental health than a comparable sample of parents interviewed in the same months before the pandemic. Differences were larger for mothers than fathers.

To isolate the causal effect of school closures, the researchers make use of the fact that in England, certain primary school year groups (Reception, Year 1 and Year 6) were prioritized to return to school earlier than others after the first lockdown, which took place from 1 June 2020 until summer holidays. This means that [school attendance](#) in these year groups was much higher than other year groups who were not prioritized to return.

Compared to April/May 2020, when schools were closed for most children, mental health improved in June 2020 for mothers whose children were prioritized to return to school compared to those who were not. This suggests that school closures have a significant detrimental effect on mothers' mental health. In contrast, for fathers, it made no difference to their mental health whether or not their children were prioritized to return to school.

The size of the effect is equivalent to a mother moving from feeling a problem such as being unhappy or depressed 'no more than usual' to somewhere between 'rather more than usual' and 'much more than

usual." The results suggest that school closures could be responsible for around half of the decline in mental health experienced by mothers in June 2020 compared to previous Junes. These effects are driven primarily by mothers with more than one child aged 4-12.

Dr. Jo Blanden, Reader in Economics at the University of Surrey, said: "There has been a huge focus on children's mental wellbeing during the pandemic, however the impact of having children out of school on mothers' mental health has been investigated for the first time. Our study suggests that, for the most part, mothers' [mental health](#) seems to have bounced back once schools re-opened, suggesting that the negative effects of school closures were temporary for many mothers. This is an important piece of research highlighting the widespread impact of [school](#) closures and adds to a wider body of evidence showing that parents, especially [mothers](#), have paid a heavy price during lockdown."

More information: School closures and parents' mental health.
[www.iser.essex.ac.uk/files/new ... es-mental-health.pdf](http://www.iser.essex.ac.uk/files/new...es-mental-health.pdf)

Provided by University of Surrey

Citation: School closures account for half of mental health decline in mothers during pandemic (2021, June 8) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-06-school-closures-account-mental-health.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--