


Does socioeconomic status explain why Black people with MS have more disability?

June 30 2021



Credit: CC0 Public Domain

A new study suggests that even when differences in socioeconomic status are taken into consideration, Black people with multiple sclerosis (MS) may be more negatively impacted by the disease than white people with MS. The research is published in the June 30, 2021, online issue of *Neurology*. The study found that Black people with MS had lower scores on certain measures of neurological health, like dexterity and walking tests, and showed more evidence of disease progression on brain scans.

"While lower [socioeconomic status](#) appears to be linked to doing worse on tests of neurologic performance in [white people](#) with MS, we do not see that for Black people with MS, at least at the single time point we examined," said study author Lana Zhovtis Ryerson, MD, of NYU Langone Health in New York City, and a member of the American Academy of Neurology.

The study looked at 1,214 people who identified as Black and 7,530 people who identified as white. Researchers also took a more detailed look at socioeconomic status based on neighborhood for 288 of the Black people in the study and 1,046 of the white people.

Researchers also looked at common neurological tests for people with MS. In a 50-question cognitive processing [test](#), the Black people with MS, on average, scored five points lower than white people with MS. For physical tests like the 25-foot walking test, Black people with MS were an average of 0.66 seconds slower. In a manual dexterity test, Black people with MS were an average of 2.11 seconds slower.

When looking at [brain lesions](#), which can indicate [disease progression](#), researchers found that Black people had, on average, larger lesion volumes on their brain scans compared to white people.

Researchers then looked at the smaller group of people, using a more detailed measure of socioeconomic status. For white people with MS, lower household income was associated with slower cognitive processing and walking speeds, while a worse score on the socioeconomic test was associated with slower cognitive processing and manual dexterity speeds. For Black people in the study, lower income was only associated with less manual dexterity. Having worse socioeconomic scores was not associated with differences in cognitive processing, walking or manual [dexterity](#) speeds.

"Future studies should consider the role of unmeasured factors like systemic racism to see if they may play a role in greater disability among Black people with MS," Zhovtis Ryerson said. "These results also reinforce the need for more diverse clinical trials and research focusing on treatment strategies specifically for Black people to identify whether certain therapies or more aggressive early treatment could help slow down disability over time."

A limitation of the study is that it was based on one point in time and may not reflect associations over time.

Provided by American Academy of Neurology

Citation: Does socioeconomic status explain why Black people with MS have more disability? (2021, June 30) retrieved 24 May 2024 from <https://medicalxpress.com/news/2021-06-socioeconomic-status-black-people-ms.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
