

Speech droplets drive transmission of SARS-CoV-2

June 9 2021




A new review published in the *Journal of Internal Medicine* indicates that unmasked speech in confined spaces poses the greatest risk of spreading SARS-CoV-2, the virus that causes COVID-19, to others. Credit: Dr. Bax

A new review published in the *Journal of Internal Medicine* indicates that unmasked speech in confined spaces poses the greatest risk of spreading SARS-CoV-2, the virus that causes COVID-19, to others.

The focus of the review is on the interface between physics and medicine, and it describes how different sized [respiratory droplets](#) emitted while speaking span a continuum of sizes and can carry different amounts of virus. Most concerning are intermediate-sized droplets that remain suspended in air for minutes and can be transported over considerable distances by convective air currents.

"We've all seen some spit droplets flying when people talk but there are thousands more, too small to be seen by the naked eye. When the [water](#) evaporates from such speech-generated, potentially virus-rich droplets, they float in the air for minutes, like smoke, thus putting others at risk," said senior author Adriaan Bax, Ph.D., of the National Institute of Diabetes and Digestive and Kidney Diseases.



Speech Droplets Drive Transmission of SARS-CoV-2. Credit: *Journal of Internal Medicine* (Wiley)

More information: *Journal of Internal Medicine* (2021). [DOI: 10.1111/joim.13326](https://doi.org/10.1111/joim.13326)

Provided by Wiley

Citation: Speech droplets drive transmission of SARS-CoV-2 (2021, June 9) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-06-speech-droplets-transmission-sars-cov-.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.