

# Bad dog? Research suggests superbug link to man's best friend

July 11 2021, by Natalie Handel

---



New research could point to raw dog food as a source of antibiotic-resistant bacteria.

Antibiotic-resistant "superbugs"—which the World Health Organization calls one of the top global threats to public health—usually conjure

images of hospital settings.

But new research may point to a less-obvious source: the family dog.

Researchers warned Sunday of "an international [public health](#) risk" after finding antibiotic-resistant bacteria in a range of different types of raw dog food.

"The trend for feeding dogs raw food may be fuelling the spread of antibiotic resistant-bacteria", the researchers said in a press release for their study, to be presented at the European Congress of Clinical Microbiology & Infectious Diseases.

Separate research to be presented at the same conference found resistance to a last-resort antibiotic may be passing between [pet dogs](#) and their owners.

Antibiotic resistant bugs can render minor injuries and common infections potentially deadly.

Resistance has grown in recent years due to overuse of such drugs in humans and [farm animals](#).

In the dog food study, a team from the University of Porto analysed 55 samples of dog food from 25 brands including 14 raw frozen types, looking for Enterococci bacteria.

The bacteria is able to live harmlessly in human and animal intestines but can be dangerous in other parts of the body and can be resistant to antibiotics.

Researchers found that all of the raw dog food samples contained antibiotic-resistant Enterococci, including bacteria resistant to the last-

resort antibiotic linezolid.

Genetic sequencing revealed that some of these [antibiotic-resistant bacteria](#) in the raw dog food were the same kind found in hospital patients in the UK, Germany and the Netherlands.

"The close contact of humans with dogs and the commercialisation of the studied brands in different countries poses an international public health risk," said researcher Ana Freitas.

"European authorities must raise awareness about the potential health risks when feeding raw diets to pets and the manufacture of dog food, including ingredient selection and hygiene practices, must be reviewed."

She added that dog owners should wash their hands after handling pet food and disposing of faeces.

## **Health threat**

In a separate study, which has not yet been submitted to a medical journal for publication, another team from Portugal tested pet owners and animals from 80 households for bacteria with the [mcr-1 gene](#), which provides resistance to the last-resort antibiotic colistin.

All 126 humans were healthy, while half of the 102 pets sampled had either skin or [urinary tract infections](#).

Four humans and eight [dogs](#) tested positive for bacteria carrying mcr-1, and in two households the gene was found in both the dog and its owner.

"Genetic analysis of the samples suggested that in one of these two cases, the gene had been transmitted between pet and owner," a [press release](#) on the research said, adding that it was thought the gene passed from dog

to human.

They added this raises concerns that pets could spread resistance to last-resort antibiotics.

The World Health Organization (WHO) classes antibiotic resistance as one of the greatest public [health](#) threats facing humanity.

Drug-resistant infections kill an estimated 700,000 people a year globally and the UN has warned that could rise to 10 million by 2050 if no action is taken.

© 2021 AFP

Citation: Bad dog? Research suggests superbug link to man's best friend (2021, July 11) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-07-bad-dog-superbug-link-friend.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.