


Bioprinted 3D cardiac patches could reverse scar formation, promote myocardial regeneration after heart attacks

July 27 2021



Jinah Jang, Reprinted from *Biomaterials*, Vol 112, Jinah Jang et al., 3D printed complex tissue construct using stem cell-laden decellularized extracellular matrix bioinks for cardiac repair, Pages 264-274, Copyright (2017), with permission from *Elsevier*. Schematic illustration of a pre-vascularized stem cell patch having multiple stem cell-laden bioinks.

Cardiovascular diseases account for 32% of global deaths. Myocardial

infarction, or heart attacks, play a large part in heart diseases and the necrosis of cardiac tissue after blood supply is decreased or stopped.

In *APL Bioengineering*, researchers from Pohang University of Science and Technology in South Korea take stock of stem cell-laden 3D-bioprinted cardiac [patch](#) technologies and their efficacy as a therapeutic and regenerative approach for ischemic cardiomyopathy in reversing scar formation and promoting myocardial regeneration.

"Currently available therapeutics are not sufficient for the complete treatment of myocardial infarction," said author Jinah Jang. "The development of a new, advanced modality, such as reducing adverse cardiac remodeling, promoting myocardial functions, and correcting molecular or [genetic defects](#), is urgently required."

The researchers explore various types of candidate stem [cells](#) that possess cardiac regenerative potential, explaining their applications and limitations. They share updates on the challenging implementation of the state-of-the-art 3D-bioprinting approach to fabricate a [cardiac patch](#) and highlight different strategies to implement vascularization and augment cardiac functional properties with respect to electrophysiological similarities to native tissue.

Following a myocardial infarction, myocardial tissues and vasculatures are equally and severely damaged. Therefore, therapeutic or regenerative approaches should be planned to target both of them concurrently to achieve a successful cardiac repair, because the heart has very little ability to regenerate cardiomyocytes or heart cells by itself.

Employing a 3D-bioprinting strategy to geometrically control the spatial patterning and using dual stem cell therapy as its co-culture can play an important role in promoting and synergistically improving vascularization as well as cardiac function following [myocardial](#)

[infarction](#).

Currently applied patch-based stem cell therapies have shown advanced efficacy, rather than using single-component therapies, by providing a tissue-friendly environment during the time of host-graft integration.

"It would be helpful for tracing cells of the printed patch to investigate the mode of action for the transplanted patch," said author Sanskrita Das.

"Although there are still inherent limitations for the [clinical study](#), the suggested stem cell delivery platform technology provides a practical therapeutic perspective for various tissue engineering applications," said author Hyoryung Nam.

As enthusiasm for cardiac regeneration charges and science continues to advance, 3D-bioprinted cardiac patches will soon become an increasingly feasible, viable, and functional option, unblocking the barriers to achieve cardiomyocytes properties. This will open new avenues for cardiac research, paving the way for new treatments for patients with cardiovascular disease.

More information: Sanskrita Das et al, 3D bioprinting of stem cell-laden cardiac patch: A promising alternative for myocardial repair, *APL Bioengineering* (2021). [DOI: 10.1063/5.0030353](https://doi.org/10.1063/5.0030353)

Provided by American Institute of Physics

Citation: Bioprinted 3D cardiac patches could reverse scar formation, promote myocardial regeneration after heart attacks (2021, July 27) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-07-bioprinted-3d-cardiac-patches-reverse.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.