

# Blue light creates negative physiological changes during sleep

July 9 2021

---



Credit: CC0 Public Domain

Extended exposure to light during nighttime can have negative consequences for human health. But now, researchers from Japan have identified a new type of light with reduced consequences for

physiological changes during sleep.

In a study published this month in *Scientific Reports*, researchers from University of Tsukuba compared the effects of light-emitting diodes (LEDs), which have been widely adopted for their energy-saving properties, with organic light-emitting diodes (OLEDs) on [physical processes](#) that occur during sleep.

Polychromatic white LEDs emit a large amount of blue light, which has been linked with many [negative health effects](#), including metabolic health. In contrast, OLEDs emit polychromatic white light that contains less blue light. However, the impact of LED and OLED exposure at night has not been compared in terms of changes in energy metabolism during sleep, something the researchers at University of Tsukuba aimed to address.

"Energy metabolism is an important physiological process that is altered by light exposure," says senior author of the study Professor Kumpei Tokuyama. "We hypothesized that compared with LEDs, OLED exposure would have a reduced effect on sleep architecture and energy metabolism, similar to that of dim light."

To test this hypothesis, the researchers exposed 10 male participants to LED, OLED, or dim light for four hours before they slept in a metabolic chamber. The researchers then measured energy expenditure, core body temperature, fat oxidation, and 6-sulfatoxymelatonin—which is a measure of melatonin levels—during sleep. The participants had not recently traveled or participated in shift work.

"The results confirmed part of our hypothesis," explains Professor Tokuyama. "Although no effect on sleep architecture was observed, [energy expenditure](#) and [core body temperature](#) during sleep were significantly decreased after OLED exposure. Furthermore, fat oxidation

during sleep was significantly lower after exposure to LED compared with OLED."

In addition, fat oxidation during sleep was positively correlated with 6-sulfatoxymelatonin levels following exposure to OLED, suggesting that the effect of melatonin activity on energy metabolism varies depending on the type of light exposure.

"Thus, light exposure at night is related to [fat oxidation](#) and body temperature during sleep. Our findings suggest that specific types of light exposure may influence weight gain, along with other physiological changes," says Professor Tokuyama.

Many occupations and activities involve exposure to artificial light before sleep. New information about the effects of different kinds of light on physical processes may facilitate the selection of alternative light sources to mitigate the [negative consequences](#) of light exposure at night. Furthermore, these findings advance our knowledge regarding the role of [light](#) in [energy metabolism](#) during sleep.

**More information:** Asuka Ishihara et al, Metabolic responses to polychromatic LED and OLED light at night, *Scientific Reports* (2021). [DOI: 10.1038/s41598-021-91828-6](https://doi.org/10.1038/s41598-021-91828-6)

Provided by University of Tsukuba

Citation: Blue light creates negative physiological changes during sleep (2021, July 9) retrieved 23 April 2024 from <https://medicalxpress.com/news/2021-07-blue-negative-physiological.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.