


Yes, you can still get COVID after being vaccinated, but you're unlikely to get as sick


July 8 2021, by Lara Herrero

How effective are Australia's main vaccines against the B.1.617.2 'Delta' COVID variant?

Effectiveness of AstraZeneca and Pfizer vaccines, after first and second doses, against B.1.617.2 COVID-19 variant.



Source: [Effectiveness of COVID-19 vaccines against the B.1.617.2 variant \(not yet peer-reviewed\)](#).

 Made with Flourish

When a COVID cluster includes people who are vaccinated against the virus, we inevitably hear rumblings of complaint from people who wonder what the point is of vaccination.

But when you read past the headlines, you usually see the answer: in most cases, those who were vaccinated and contracted COVID-19 didn't die, didn't develop [severe symptoms](#) and didn't need to be hospitalized.

For unvaccinated Australians in their later years, the chance of dying from COVID [is high](#). For [unvaccinated people](#) in their 80s, around 32% who contract COVID will die from it. For people in their 70s, it's around 14%. (For unvaccinated people in their 60s, it drops to around 3%. And for under-50s, it's less than 1%.)

The good news is both Pfizer and AstraZeneca are very effective at preventing severe disease and death from COVID-19, even from the more virulent Delta strain.


So how effective are our vaccines?

[Preliminary data](#) from the United Kingdom shows after your first dose of either Pfizer or AstraZeneca, you're 33% less likely than an unvaccinated person to contract the Delta variant.

Two weeks after your second dose, this [rises to](#) 60% for AstraZeneca and 88% for Pfizer. This data is for any form of COVID-19, from mild to severe.

But when you look at how much the vaccines reduce your risk of developing severe illness that requires hospitalization, the coverage is high for both. Pfizer and Astrazeneca vaccines are [96% and 92% effective](#) (respectively) in preventing Delta variant hospitalisations.

How does a second vaccination dose improve your immune response?



Credit: [The Conversation \(adapted from Vaccine Immunology, Plotkin's Vaccines \[Seventh Edition\] 2018\)](#), CC BY-ND

Why do some people still get COVID after being vaccinated?

Vaccines aren't magic barriers. They don't kill the virus or pathogen they target.

Rather, vaccines [stimulate](#) a person's immune system to create antibodies. These antibodies are specific against the virus or pathogen for the vaccine and allows the body to fight infection before it takes hold

and causes severe disease.

However, some people won't have a strong enough immune response to the vaccine and may still be susceptible to developing COVID-19 if exposed to the virus.

How a person responds to a vaccine is impacted by a number of host factors, including our age, gender, medications, diet, exercise, health and stress levels.

It's not easy to tell who hasn't developed a strong enough immune response to the vaccine. Measuring a person's immune response to a vaccine is not simple and requires detailed laboratory tests.

And while side effects from the [vaccine](#) indicate you're having a response, the absence of symptoms doesn't mean you're having a weak response.

It also takes time for the immune system to respond to vaccines and produce antibodies. For most two-shot vaccines, antibody levels rise and then [dip after the first dose](#). These antibodies are then boosted after the second.

But you're not optimally covered until your antibody levels rise after the second dose.

The current top five symptoms of COVID-19 among vaccinated people

All variants (including current dominant delta variant), UK self-reported symptoms from ZOE COVID study, up to June 23 2021.



1. headache



2. runny nose



3. sneezing



4. sore throat



5. loss of smell.



Credit: [The Conversation/ZOE COVID Symptom Study app](#), [CC BY-ND](#)

What does COVID look like after being vaccinated?

The PCR tests we use to detect SARS-CoV-2, the virus that causes COVID-19, are very sensitive and can detect a positive case even if you have low levels of the virus in your system. This means a person can test positive for SARS-CoV-2 but still not have symptoms of COVID-19.

Of those vaccinated people who have reported symptoms, the vast majority [report mild ones](#), with a [shorter duration](#).

There is always a chance a vaccinated person could pass the virus onto a

non-vaccinated person without having symptoms themselves.

But vaccinated people who develop COVID-19 will likely [have a lower viral load](#) than unvaccinated people, meaning they're less likely to spread the virus.

One study estimated those who were vaccinated with either Pfizer or AstraZeneca were [50% less likely](#) to pass it on to an unvaccinated household contact than someone who wasn't vaccinated. This transmission will likely reduce again if both household members are vaccinated.

But if you're not vaccinated and contract COVID-19, you're [much more likely](#) to spread the virus.

What about future variants?

So far, the [preliminary data](#) (some of which is ongoing and/or yet to be peer reviewed) shows our current vaccines are effective at protecting against circulating variants.

But as the virus mutates, there is increasing chance of [viral escape](#). This means there is a greater chance the virus will develop mutations that make it fitter against, or more easily able to evade, vaccinations.

Scientists are [closely monitoring](#) to ensure our current and/or future vaccines are [effective](#) against the circulating strains.

To help the fight against COVID-19 the best thing we can do is minimize the spread of the [virus](#). This means get vaccinated when you can, ensure you maintain social distancing when required and get tested if you have any symptoms.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Yes, you can still get COVID after being vaccinated, but you're unlikely to get as sick (2021, July 8) retrieved 19 April 2024 from <https://medicalxpress.com/news/2021-07-covid-vaccinated-youre-sick.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.