


Regular physical activity linked to more 'fit' preteen brains

July 2 2021



These images show brain areas positively affected by physical activity in red, and areas negatively affected by high BMI in blue. Areas where the effects of exercise and BMI overlap are shown in purple. Credit: Skylar Brooks, Boston Children's Hospital

We know exercise has many health benefits. A new study from Boston Children's Hospital adds another benefit: Physical activity appears to help organize children's developing brains.

The study, led by Dr. Caterina Stamoulis, analyzed [brain](#) imaging data from nearly 6,000 9- and 10-year-olds. It found that physical activity was associated with more efficiently organized, robust, and flexible brain networks. The more physical activity, the more "fit" the brain.

"It didn't matter what kind of physical activity children were involved in," says Dr. Stamoulis, who directs the Computational Neuroscience Laboratory at Boston Children's. "It only mattered that they were active."

Crunching the data

Dr. Stamoulis and her trainees, Skylar Brooks and Sean Parks, tapped brain imaging data from the Adolescent Brain Cognitive Development (ABCD) study, a long-running study sponsored by the National Institutes of Health. They used [functional magnetic resonance](#) imaging (fMRI) data to estimate the strength and organizational properties of the children's brain circuits. These measures determine how efficiently the brain functions and how readily it can adapt to changes in the environment.

"The preteen years are a very important time in [brain development](#)," notes Dr. Stamoulis. "They are associated with a lot of changes in the brain's functional circuits, particularly those supporting higher-level thought processes. Unhealthy changes in these areas can lead to risky behaviors and long-lasting deficits in the skills needed for learning and reasoning."

The team combined these data with information on the children's physical activity and sports involvement, supplied by the families, as well as body mass index (BMI). Finally, they adjusted the data for other factors that might affect brain development, such as being born before 40 weeks of gestation, puberty status, sex, and family income.

Healthy brain networks

Being active multiple times per week for at least 60 minutes had a widespread positive effect on brain circuitry. Children who engaged in high levels of physical activity showed beneficial effects on brain circuits in multiple areas essential to learning and reasoning. These included attention, sensory and motor processing, memory, [decision making](#), and executive control (the ability to plan, coordinate, and control actions and behaviors).

In contrast, increased BMI tended to have detrimental effects on the same brain circuitry. However, regular physical activity reduced these negative effects. "We think physical activity affects brain organization directly, but also indirectly by reducing BMI," Dr. Stamoulis says.

Analyzing brain effects

In the analyses, the brain was represented mathematically as a network of "nodes": a set of brain regions linked by connections of varying strength. Physical activity had two kinds of positive effects: on the efficiency and robustness of the network as a whole, and on more local properties such as the number and clustering of node connections.

"Highly connected local brain networks that communicate with each other through relatively few but strong long-range connections optimizes information processing and transmission in the brain," explains Dr. Stamoulis. "In preteens, a number of brain functions are still developing, and they can be altered by a number of risk factors. Our results suggest that [physical activity](#) has a positive protective effect across brain regions."

More information: Skylar J Brooks et al, Widespread Positive Direct

and Indirect Effects of Regular Physical Activity on the Developing Functional Connectome in Early Adolescence, *Cerebral Cortex* (2021).
[DOI: 10.1093/cercor/bhab126](https://doi.org/10.1093/cercor/bhab126)

Provided by Children's Hospital Boston

Citation: Regular physical activity linked to more 'fit' preteen brains (2021, July 2) retrieved 27 April 2024 from
<https://medicalxpress.com/news/2021-07-regular-physical-linked-preteen-brains.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.