

Adolescents' tobacco and nicotine use: Differential associations among racial and ethnic groups

August 9 2021



Credit: CC0 Public Domain

New Research from the Prevention Research Center of the Pacific
Institute for Research and Evaluation investigated the effects of

California's 2016 law that raised the minimum tobacco sales age to from 18 to 21 (T21) and found evidence that the new law has had positive public health effects on 7th, 9th, and 11th grade students from across California.

Specifically, results show that T21 was associated with:

- Reduced prevalence of lifetime smokeless tobacco and [e-cigarette use](#), and past month [smokeless tobacco](#) use in the overall student population.
- Increases in prevalence of past month e-cigarette use.
- Reductions in lifetime and past-30-day use of all tobacco and nicotine products among Latinx youth.
- Differential, but positive public health effects for other racial and [ethnic groups](#).

Says lead author Dr. Joel Grube, "Our research shows that raising the tobacco purchase age to 21 years is a recommended strategy to reduce adolescents' tobacco and nicotine use."

More information: Joel W Grube et al, California's tobacco 21 minimum sales age law and adolescents' tobacco and nicotine use: differential associations among racial and ethnic groups, *Tobacco Control* (2021). [DOI: 10.1136/tobaccocontrol-2020-056219](https://doi.org/10.1136/tobaccocontrol-2020-056219)

Provided by Pacific Institute for Research and Evaluation

Citation: Adolescents' tobacco and nicotine use: Differential associations among racial and ethnic groups (2021, August 9) retrieved 24 May 2024 from <https://medicalxpress.com/news/2021-08-adolescents-tobacco-nicotine-differential-associations.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.