


Your ZIP code may be a factor in how long you'll stay active

August 23 2021, by Jim Shelton



ADI scores from within this state alone are ranked from lowest to highest, then divided into deciles (1-10). Dark blue (1) is the least disadvantaged block groups—dark red (10) is the most disadvantaged block group. Credit: Applied Population Lab, UW-Madison

Older people living in less advantaged neighborhoods become disabled roughly two years earlier than their counterparts in more affluent neighborhoods, according to a new Yale study.

The findings, published Aug. 23 in the journal *JAMA Internal Medicine*, shed new light on the role environment plays in the disabling process. The data also point to a tangible effect of structural racism on the lives of older Americans, the researchers said.

For the study, researchers tracked a cohort of 754 nondisabled people living in south central Connecticut from 1998 to 2020. All participants were 70 or older at the start of the study. They were interviewed every month about their ability to conduct four essential activities of daily living: Bathing, dressing, walking, and transferring from a chair without assistance.

"We've followed this cohort of community-living, older persons since the late 1990s, trying to understand the factors that allow people to maintain their independence as they grow older," said Dr. Thomas M. Gill, the Humana Foundation Professor of Geriatric Medicine at Yale and principal investigator of the study.

Gill and his collaborators have published more than 120 studies looking at individual factors that contribute to disability, including lack of mobility and injuries related to falls. "But until now, we've not paid as much attention to the environment in which an older person is living, more broadly," Gill said. "For example, how does living in a disadvantaged neighborhood affect the disabling process?"

To do this, the researchers analyzed their data with the Area Deprivation Index, a census-based socioeconomic measure of 17 education, employment, housing quality, and poverty indicators that can identify disadvantaged [neighborhoods](#) down to the nine-digit zip code level. The Area Deprivation Index was developed by researchers at the University of Wisconsin.

Gill and his team found that on average, a 70-year-old person in a

disadvantaged neighborhood maintained their independence for 12.3 more years. But a 70-year-old person in a more advantaged neighborhood remained independent for an average of 14.2 more years.

The researchers said there are many possible factors contributing to the disparity between advantaged and disadvantaged neighborhoods. They include access to quality medical care, availability of nutritious food, the condition of local sidewalks, access to public transportation, and stress related to neighborhood crime or violence in some places.

"We're hoping we can take our research to the next level and determine some of the mechanisms involved here, including structural racism," Gill said. "Disadvantaged neighborhoods don't happen by coincidence. There have been residential, long-term, structural inequalities and racism, including residential segregation."

Future research will be aimed at highlighting public policies that might alleviate environmental disparities in the disabling process, Gill said.

More information: Thomas M. Gill et al, Association Between Neighborhood Disadvantage and Functional Well-being in Community-Living Older Persons, *JAMA Internal Medicine* (2021). [DOI: 10.1001/jamainternmed.2021.4260](https://doi.org/10.1001/jamainternmed.2021.4260)

Provided by Yale University

Citation: Your ZIP code may be a factor in how long you'll stay active (2021, August 23) retrieved 20 April 2024 from <https://medicalxpress.com/news/2021-08-code-factor-youll.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.