

How to protect your kids from RSV

August 24 2021, by Sean McTigue



Credit: Pixabay/CC0 Public Domain

Respiratory syncytial virus, or RSV, is on the rise in Kentucky. For most people, including children, RSV will cause a common cold-like illness and will recover in a week or two. But a small percentage of infants and



younger children may become more ill and need more care. RSV can lead to much more severe illnesses such as bronchiolitis and pneumonia.

RSV season normally starts in November and runs through February. In 2020, the Centers for Disease Control and Prevention (CDC) reported a relatively mild season, which is attributed to masking, social distancing and hand-washing. But a spike in cases this summer can be traced to the relaxing of those measures, as well as the fact that kids are back in contact with each other.

Premature infants, infants under six months and <u>children</u> under two with chronic lung or heart disease or weakened immune systems are at greatest risk. Here are the symptoms in infants and children you should look out for:

- Fever
- Irritability
- Runny nose
- Loss of appetite
- Coughing, wheezing, or a pause in breathing

RSV spreads through the sneeze or cough droplets of an infected person, direct contact with an infected person or touching a surface that has the virus on it, such as a doorknob or light switch. People infected with RSV are usually contagious for three to eight days. To protect yourselves and your child, cover your coughs and sneezes, wash your hands frequently, avoid touching your nose, eyes, and mouth and frequently disinfect surfaces in your home.

If you or your child is diagnosed with RSV, there are steps you can take to relieve your symptoms.

• Manage fever and pain with over-the-counter fever reducers and



- pain relievers, such as acetaminophen or ibuprofen. (Never give aspirin to children.)
- Drink enough fluids. It is important for people with RSV infection to drink enough fluids to prevent dehydration (loss of body fluids).
- Talk to your <u>health care provider</u> before giving your child nonprescription cold medicines. Some medicines contain ingredients that are not good for children.

Provided by University of Kentucky

Citation: How to protect your kids from RSV (2021, August 24) retrieved 19 April 2024 from https://medicalxpress.com/news/2021-08-kids-rsv.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.