

Study shows short naps don't relieve sleep deprivation

August 12 2021



Credit: CC0 Public Domain

A nap during the day won't restore a sleepless night, says the latest study from Michigan State University's Sleep and Learning Lab.



"We are interested in understanding cognitive deficits associated with sleep deprivation. In this study, we wanted to know if a short nap during the deprivation period would mitigate these deficits," said Kimberly Fenn, associate professor of MSU, study author and director of MSU's Sleep and Learning Lab. "We found that short naps of 30 or 60 minutes did not show any measurable effects."

The study was published in the journal *Sleep* and is among the first to measure the effectiveness of shorter naps—which are often all people have time to fit into their busy schedules.

"While short naps didn't show measurable effects on relieving the effects of sleep deprivation, we found that the amount of <u>slow-wave sleep</u> that participants obtained during the nap was related to reduced impairments associated with sleep deprivation," Fenn said.

Slow-wave sleep, or SWS, is the deepest and most restorative stage of sleep. It is marked by high amplitude, low frequency brain waves and is the sleep stage when your body is most relaxed; your muscles are at ease, and your heart rate and respiration are at their slowest.

"SWS is the most important stage of sleep," Fenn said. "When someone goes without sleep for a period of time, even just during the day, they build up a need for sleep; in particular, they build up a need for SWS. When individuals go to sleep each night, they will soon enter into SWS and spend a substantial amount of time in this stage."

Fenn's research team—including MSU colleague Erik Altmann, professor of psychology, and Michelle Stepan, a recent MSU alumna currently working at the University of Pittsburgh—recruited 275 collegeaged participants for the study.

The participants completed cognitive tasks when arriving at MSU's Sleep



and Learning Lab in the evening and were then randomly assigned to three groups: The first was sent home to sleep; the second stayed at the lab overnight and had the opportunity to take either a 30 or a 60 minute nap; and the third did not nap at all in the deprivation condition.

The next morning, participants reconvened in the lab to repeat the cognitive tasks, which measured attention and placekeeping, or the ability to complete a series of steps in a specific order without skipping or repeating them—even after being interrupted.

"The group that stayed overnight and took short naps still suffered from the effects of sleep deprivation and made significantly more errors on the tasks than their counterparts who went home and obtained a full night of sleep," Fenn said. "However, every 10-minute increase in SWS reduced errors after interruptions by about 4%."

These numbers may seem small but when considering the types of errors that are likely to occur in sleep-deprived operators—like those of surgeons, police officers or truck drivers—a 4% decrease in errors could potentially save lives, Fenn said.

"Individuals who obtained more SWS tended to show reduced errors on both tasks. However, they still showed worse performance than the participants who slept," she said.

Fenn hopes that the findings underscore the importance of prioritizing sleep and that naps—even if they include SWS—cannot replace a full night of sleep.

More information: Michelle E Stepan et al, Slow-wave sleep during a brief nap is related to reduced cognitive deficits during sleep deprivation, *Sleep* (2021). DOI: 10.1093/sleep/zsab152



Provided by Michigan State University

Citation: Study shows short naps don't relieve sleep deprivation (2021, August 12) retrieved 25 April 2024 from

https://medicalxpress.com/news/2021-08-short-naps-dont-relieve-deprivation.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.