

Antidepressants inhibit cancer growth in mice

September 28 2021




Fig. S1. Syngeneic murine tumor cell growth & efficacy of serotonin depletion and reconstitution therapies in Wt and Tph1^{-/-} mice. (A and B) Tumor weight at the end of the experiment after s.c. injection of syngeneic murine 5*10⁵ MC38 (day 28) and 1*10⁶ Panc02 cell lines (day 35) in Wt and Tph1^{-/-} C57BL/6 mice, respectively (mean±SD, unpaired t-test, n=5 mice/group). (C) Tumor growth

after s.c. injection of 5×10^5 syngeneic murine MC38 cell lines in Wt and Tph1^{-/-} mice and blockade of platelet activation by clopidogrel (20mg/kg over drinking water starting 7d before tumor injections and continued until harvest, mean \pm SD, linear mixed effect model with Holm correction for multiple comparison, n=5 mice/group, N=1). (D) Intratumoral serotonin concentrations measured by ELISA in control or prasugrel (3mg/kg over drinking water starting 7 days before tumor injections and continued until day 28) treated Wt and Tph1^{-/-} mice at day 28 after s.c. injection of 5×10^5 syngeneic MC38 cells (mean \pm SD, Kruskal Wallis test with Holm correction for multiple comparison, n=5 mice/group). (E) Serotonin measurement in the supernatant of in vitro cultivated MC38 cell lines up to 72 hours (serum free medium). Pure medium shown as control (mean \pm SD, N=1). (F) Serum serotonin concentrations measured by ELISA in control or fluoxetine (20mg/kg over drinking water starting 7 days before tumor injections and continued until harvest) treated Wt and Tph1^{-/-} mice at day 26 after s.c. injection of 5×10^5 syngeneic MC38 cells (mean \pm SD, 1-way ANOVA with post-hoc Tukey's multiple comparison test, n=5 mice/group). (G) Serum serotonin concentrations measured by ELISA in control or serotonin precursor 5- hydroxytryptamine (5-HTP, 100mg/kg over drinking water starting 3 days before tumor injections and continued until harvest) treated Wt and Tph1^{-/-} mice at day 26 after s.c. injection of 5×10^5 syngeneic MC38 cells (mean \pm SD, 1-way ANOVA with post-hoc Tukey's multiple comparison test, n=5 mice/group). * = P

Citation: Antidepressants inhibit cancer growth in mice (2021, September 28) retrieved 20 April 2024 from <https://medicalxpress.com/news/2021-09-antidepressants-inhibit-cancer-growth-mice.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.