

Autistic individuals are more likely to be LGBTQ+

September 20 2021



Credit: Pixabay/CC0 Public Domain

New research from the University of Cambridge suggests that autistic individuals are less likely to identify as heterosexual and more likely to identify with a diverse range of sexual orientations than non-autistic

individuals.

The findings have important implications for the healthcare and support of [autistic individuals](#). The results are published in the journal *Autism Research*.

For many years it was wrongly assumed that autistic individuals are uninterested in sexual or romantic relationships; but this is not the case. In recent years, small studies have suggested that autistic individuals are more likely to experience a wider diversity of sexual orientations and are less likely to have sexually transmitted infections (STIs). However, the existing evidence has been limited in size and scope.

In the largest study to date on these topics, the team at the Autism Research Centre used an anonymous, self-report survey to study the [sexual activity](#), sexual orientation, and sexual health of autistic adults. Overall, 1,183 autistic and 1,203 non-autistic adolescents and adults (aged 16-90 years) provided information about their sexual activity, sexual orientation, and medical history of STIs.

The results showed that the majority of autistic adults (70% of autistic males and 76% of autistic [females](#)) engage in sexual activity—although they do so to a lesser degree than their non-autistic peers (89% of both non-autistic males and females report engaging in sexual activity). In contrast to previous findings, the results also found that there were no differences in likelihood of ever contracting an STI, or the age at which participants first engaged in sexual activity, between autistic and non-autistic individuals.

In addition, the study found that autistic adults and adolescents are approximately eight times more likely to identify as asexual and 'other' sexuality than their non-autistic peers. And there were sex differences in sexual orientation: autistic males are 3.5 times more likely to identify as

bisexual than non-autistic males, whereas autistic females are three times more likely to identify as homosexual than autistic females.

When comparing autistic females and males directly, autistic females were more likely to be sexually active; more likely to identify as asexual, bisexual, and 'other' sexuality; and were less likely to identify as heterosexual.

Elizabeth Weir, a Ph.D. candidate at the Autism Research Centre in Cambridge, and the lead researcher of the study, says that "understanding the intersectional identities of autistic individuals who are asexual, bisexual, homosexual, or 'other' sexuality is key. It is particularly important that [healthcare providers](#) and educators use language that is affirming and accepting of all sexual orientations and gender identities when providing sexual education and sexual health screening checks to autistic and non-autistic people alike."

Dr. Carrie Allison, Director of Strategy at the Autism Research Centre and a member of the team, says that "we must ensure that autistic individuals are receiving equal access to healthcare and support in their choices in their personal lives, to enjoy fulfilling lives and good mental health."

Professor Simon Baron-Cohen, Director of the Autism Research Centre and a member of the team, says that "this new study is an important example of applied health research with policy relevance for health and social care services."

More information: Elizabeth Weir et al, The sexual health, orientation, and activity of autistic adolescents and adults, *Autism Research* (2021). [DOI: 10.1002/aur.2604](https://doi.org/10.1002/aur.2604)

Provided by University of Cambridge

Citation: Autistic individuals are more likely to be LGBTQ+ (2021, September 20) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-09-autistic-individuals-lgbtq.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.