

Largest trial of antibiotic amoxicillin for treating chest infections in children finds little effect

September 28 2021



Credit: CC0 Public Domain

The largest randomized placebo-controlled trial of the antibiotic amoxicillin for treating chest infections in children—one of the most common acute illnesses treated in primary care in developed countries,

has found it is little more effective at relieving symptoms than the use of no medication. The study, published in *The Lancet* and funded by the National Institute for Health Research (NIHR), was led by researchers from the University of Southampton and supported by centers at the Universities of Bristol, Oxford and Cardiff.

Although viruses are believed to cause many of these infections in [children](#), whether or not [antibiotics](#) are beneficial in treatment of [chest infections](#) in children is still debated. While research so far in adults has shown that antibiotics are not effective for uncomplicated [chest](#) infections until now, there has not been the same level of research in children.

Researchers sought to test whether amoxicillin reduces the duration of moderately bad symptoms in children presenting with uncomplicated (non-pneumonic) lower respiratory tract chest infections in primary care. The trial recruited 432 children aged six months to twelve years-old with acute uncomplicated chest infections from primary care practices in England and Wales who were then randomly assigned to receive either amoxicillin or a placebo three times a day for seven days. Doctors or nurse-prescribers assessed symptoms at the start of the study and parents, with help from their children where possible, completed a daily symptom diary.

Only a small, non-significant, difference in the duration of symptoms were reported between the two groups: children given the placebo had symptoms which were rated moderately bad or worse for around 6 days on average after seeing the doctor, and those given antibiotics got better only 13 per cent quicker.

Furthermore, this was true even for the groups of children where the doctor heard sounds in the chest, the child had a fever, where the doctor rated the child as more unwell, the child coughed up phlegm or had a

rattly chest, or the child was short of breath.

Just four children in the placebo group and five in the antibiotic group required further assessment at hospital. The costs to parents, such as the time needed to be off work or the cost of over-the-counter remedies, was very similar in both groups.

Paul Little, Professor of Primary Care Research at the University of Southampton and the study's lead author, says that "children given amoxicillin for chest infections where the doctor does not think the child has pneumonia do not recover much more quickly."

"Indeed, using amoxicillin to treat chest infections in children not suspected of having pneumonia is not likely to help and could be harmful. Overuse of antibiotics, which is dominated by prescribing of antibiotics in primary care, particularly when they are ineffective, can lead to side effects and the development of antibiotic resistance. Antibiotic resistance is one of the biggest threats to the health of the public, and in future could make much of what is currently routine medical practice very difficult or impossible—such having surgical operations or supporting people who are being treated for cancer."

Alastair Hay, a GP and Professor of Primary Care at the University of Bristol's Centre for Academic Primary Care, and one of the study's co-authors, added that "the ARTIC PC trial is one of the very few studies to report on the effectiveness of prescribing antibiotics among younger children presenting with chest infections in [primary care](#). It was designed to be able to detect a clinically important 3-day improvement in [symptom](#) duration."

"Our results suggest that unless pneumonia is suspected, clinicians should provide 'safety-netting' advice such as explaining what illness course to expect and when it would be necessary to re-attend but not

prescribe antibiotics for most children presenting with chest infections."

More information: Paul Little et al, Antibiotics for lower respiratory tract infection in children presenting in primary care in England (ARTIC PC): a double-blind, randomised, placebo-controlled trial, *The Lancet* (2021). [DOI: 10.1016/S0140-6736\(21\)01431-8](https://doi.org/10.1016/S0140-6736(21)01431-8)

Provided by University of Bristol

Citation: Largest trial of antibiotic amoxicillin for treating chest infections in children finds little effect (2021, September 28) retrieved 20 May 2024 from <https://medicalxpress.com/news/2021-09-largest-trial-antibiotic-amoxicillin-chest.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.